STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
AB8					
AB8 (149 yds east of pier by last steps on rock wa	03/11/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/11/2024	TOTAL COLIFORM 1:10		216	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/11/2024	E. COLI 1:10		122	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/18/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/18/2024	E. COLI 1:10		52	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/25/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	03/25/2024	E. COLI 1:10		63	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/08/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/08/2024	TOTAL COLIFORM 1:10		473	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	04/08/2024	E. COLI 1:10		301	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
AB10					
AB10 (350 yards west of pier - creek outfall)	03/11/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/11/2024	TOTAL COLIFORM 1:10		146	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/18/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/18/2024	TOTAL COLIFORM 1:10		933	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/18/2024	E. COLI 1:10		63	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/25/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/25/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/08/2024	TOTAL COLIFORM 1:10		109	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	03/11/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/11/2024	TOTAL COLIFORM 1:10		1236	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/11/2024	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/18/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/18/2024	TOTAL COLIFORM 1:10		2613	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/18/2024	E. COLI 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/25/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/25/2024	TOTAL COLIFORM 1:10		1872	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/08/2024	TOTAL COLIFORM 1:10		785	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	04/08/2024	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY14					
CAY14 (Farthest swing set near D street)	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/11/2024	TOTAL COLIFORM 1:10		110	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/11/2024	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/18/2024	TOTAL COLIFORM 1:10		160	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/18/2024	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/25/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
CAY14 (Farthest swing set near D street)	03/25/2024	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/08/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/08/2024	TOTAL COLIFORM 1:10		487	MPN/100 ML
CAY14 (Farthest swing set near D street)	04/08/2024	E. COLI 1:10		187	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
CAY16					
CAY16 (north of pier at creek outfall)	03/11/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/11/2024	TOTAL COLIFORM 1:10		341	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/11/2024	E. COLI 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/18/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/18/2024	TOTAL COLIFORM 1:10		228	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/18/2024	E. COLI 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/25/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/08/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/08/2024	TOTAL COLIFORM 1:10		1631	MPN/100 ML
CAY16 (north of pier at creek outfall)	04/08/2024	E. COLI 1:10		41	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	03/11/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/11/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/18/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/25/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/08/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB11					
MB11 (25 yds north of main parking lot)	03/11/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/11/2024	TOTAL COLIFORM 1:10		185	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/11/2024	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/18/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/18/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	03/25/2024	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/08/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/11/2024	TOTAL COLIFORM 1:10		121	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/11/2024	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/18/2024	ENTEROCOCCI, MPN 1:10		87	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/18/2024	TOTAL COLIFORM 1:10		1483	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/18/2024	E. COLI 1:10		75	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/25/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	03/25/2024	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/08/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB13					
MB13 (Atascadero Ave)	03/11/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB13 (Atascadero Ave)	03/11/2024	TOTAL COLIFORM 1:10		243	MPN/100 ML
MB13 (Atascadero Ave)	03/11/2024	E. COLI 1:10		109	MPN/100 ML
MB13 (Atascadero Ave)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	03/18/2024	TOTAL COLIFORM 1:10		228	MPN/100 ML
MB13 (Atascadero Ave)	03/18/2024	E. COLI 1:10		20	MPN/100 ML
MB13 (Atascadero Ave)	03/25/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	03/25/2024	TOTAL COLIFORM 1:10		231	MPN/100 ML
MB13 (Atascadero Ave)	03/25/2024	E. COLI 1:10		74	MPN/100 ML
MB13 (Atascadero Ave)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	04/08/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB13 (Atascadero Ave)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/11/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/18/2024	ENTEROCOCCI, MPN 1:10		324	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/18/2024	TOTAL COLIFORM 1:10		10462	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/18/2024	E. COLI 1:10		1236	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/19/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/19/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/19/2024	E. COLI 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/25/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	04/08/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	04/08/2024	TOTAL COLIFORM 1:10		75	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon	04/08/2024	E. COLI 1:10		20	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB11					
OCB11 (571 yds so Pier Ave end of Strand Way	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/11/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/18/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	04/08/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	04/08/2024	TOTAL COLIFORM 1:10		309	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	04/08/2024	E. COLI 1:10		31	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB12					
OCB12 (Pier Ave)	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/11/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
OCB12 (Pier Ave)	03/11/2024	E. COLI 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/18/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/25/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	04/08/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
OCB12 (Pier Ave)	04/08/2024	E. COLI 1:10		20	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OCB13					
OCB13 (350 yds no of Pier Ave)	03/11/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/11/2024	TOTAL COLIFORM 1:10		108	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/11/2024	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/18/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	03/25/2024	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/08/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	04/08/2024	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom	03/11/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/11/2024	TOTAL COLIFORM 1:10		120	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/18/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	04/08/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	04/08/2024	TOTAL COLIFORM 1:10		173	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB3					
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/11/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/11/2024	TOTAL COLIFORM 1:10		30	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/11/2024	E. COLI 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/18/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/18/2024	TOTAL COLIFORM 1:10		75	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/18/2024	E. COLI 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/25/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	04/08/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER (HOTEL W/ GREEN ROOF)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB4					
PB4 (14 yds so of pier)	03/11/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
PB4 (14 yds so of pier)	03/11/2024	TOTAL COLIFORM 1:10		1314	MPN/100 ML
PB4 (14 yds so of pier)	03/11/2024	E. COLI 1:10		1081	MPN/100 ML
PB4 (14 yds so of pier)	03/12/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds so of pier)	03/12/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/18/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/25/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier)	04/08/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB4 (14 yds so of pier)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/11/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/18/2024	TOTAL COLIFORM 1:10		487	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/18/2024	E. COLI 1:10		41	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/18/2024	ENTEROCOCCI, MPN 1:10		238	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/19/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/25/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/08/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	04/08/2024	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	03/11/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/11/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/11/2024	E. COLI 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/18/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	03/25/2024	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/08/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/08/2024	TOTAL COLIFORM 1:10		75	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	04/08/2024	E. COLI 1:10		10	MPN/100 ML

STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	**>**	**104**	**MPN/100 ML**
FECAL COLIFORM	**>**	**400**	**MPN/100 ML**
TOTAL COLIFORM	**>**	**10,000**	**MPN/100 ML**

SLO ENV HLTH-OCEAN MONITORING	**1/29/2024 to 3/9/2024**				
SITE	**COLLECT DATE**	**RESULT NAME**	**QUALIFIER**	**RESULT**	**UNITS**
SEW7					
SEW7 (Silver Shoals Dr)	03/11/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/11/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/11/2024	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/18/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/18/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/18/2024	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/25/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/25/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	03/25/2024	E. COLI 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/08/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/08/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	04/08/2024	E. COLI 1:10	<	10	MPN/100 ML