

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	05/06/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/06/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/06/2024	E. COLI 1:10			20 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/13/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/20/2024	ENTEROCOCCI, MPN 1:10			42 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/20/2024	TOTAL COLIFORM 1:10			160 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/20/2024	E. COLI 1:10			52 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/28/2024	TOTAL COLIFORM 1:10			933 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	05/28/2024	E. COLI 1:10			41 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/04/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/04/2024	E. COLI 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	TOTAL COLIFORM 1:10			105 MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	06/10/2024	E. COLI 1:10			30 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	05/06/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/06/2024	TOTAL COLIFORM 1:10		1850	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/06/2024	E. COLI 1:10		109	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/13/2024	TOTAL COLIFORM 1:10		1198	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/13/2024	E. COLI 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/20/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/20/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/20/2024	E. COLI 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/28/2024	TOTAL COLIFORM 1:10		1616	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	05/28/2024	E. COLI 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/04/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/04/2024	TOTAL COLIFORM 1:10		199	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/04/2024	E. COLI 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		10462	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/10/2024	E. COLI 1:10		233	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	TOTAL COLIFORM 1:10		7270	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	06/11/2024	E. COLI 1:10		132	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	05/06/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/06/2024	TOTAL COLIFORM 1:10		816	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/06/2024	E. COLI 1:10		41	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/13/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/13/2024	TOTAL COLIFORM 1:10		767	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/13/2024	E. COLI 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/20/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/20/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/28/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/04/2024	TOTAL COLIFORM 1:10		529	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/04/2024	E. COLI 1:10		10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	TOTAL COLIFORM 1:10		345	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	06/10/2024	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	05/06/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/06/2024	TOTAL COLIFORM 1:10		97	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/06/2024	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/13/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/13/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/20/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/20/2024	E. COLI 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/28/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
CAY14 (Farthest swing set near D street)	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/04/2024	TOTAL COLIFORM 1:10		109	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/04/2024	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/10/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
CAY14 (Farthest swing set near D street)	06/10/2024	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	05/06/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/06/2024	TOTAL COLIFORM 1:10		839	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/06/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/13/2024	TOTAL COLIFORM 1:10		504	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/13/2024	E. COLI 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/20/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/20/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/28/2024	ENTEROCOCCI, MPN 1:10		271	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/28/2024	TOTAL COLIFORM 1:10		2489	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/28/2024	E. COLI 1:10		855	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/29/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/29/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	05/29/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/04/2024	TOTAL COLIFORM 1:10		464	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/04/2024	E. COLI 1:10		110	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		4611	MPN/100 ML
CAY16 (north of pier at creek outfall)	06/10/2024	E. COLI 1:10		121	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/06/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/06/2024	E. COLI 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/13/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/13/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/20/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/20/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/20/2024	E. COLI 1:10		41	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/28/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/04/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/04/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	06/10/2024	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11 (25 yds north of main parking lot)	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/06/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/06/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/13/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/13/2024	TOTAL COLIFORM 1:10		213	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/13/2024	E. COLI 1:10		199	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/20/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/20/2024	E. COLI 1:10		10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/28/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB11 (25 yds north of main parking lot)	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/04/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/04/2024	E. COLI 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/10/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/10/2024	TOTAL COLIFORM 1:10		243	MPN/100 ML
MB11 (25 yds north of main parking lot)	06/10/2024	E. COLI 1:10		41	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/06/2024	TOTAL COLIFORM 1:10		74	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/06/2024	E. COLI 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/13/2024	TOTAL COLIFORM 1:10		73	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/13/2024	E. COLI 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/20/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/20/2024	TOTAL COLIFORM 1:10		228	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/20/2024	E. COLI 1:10		52	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/28/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/28/2024	TOTAL COLIFORM 1:10		288	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	05/28/2024	E. COLI 1:10		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/04/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/04/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	ENTEROCOCCI, MPN 1:10		150	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	TOTAL COLIFORM 1:10		5475	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/10/2024	E. COLI 1:10		480	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	TOTAL COLIFORM 1:10		107	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	E. COLI 1:10		30	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	06/11/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave)	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/06/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB13 (Atascadero Ave)	05/06/2024	E. COLI 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/13/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB13 (Atascadero Ave)	05/13/2024	E. COLI 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	05/20/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
MB13 (Atascadero Ave)	05/20/2024	E. COLI 1:10		20	MPN/100 ML
MB13 (Atascadero Ave)	05/28/2024	ENTEROCOCCI, MPN 1:10		42	MPN/100 ML
MB13 (Atascadero Ave)	05/28/2024	TOTAL COLIFORM 1:10		712	MPN/100 ML
MB13 (Atascadero Ave)	05/28/2024	E. COLI 1:10		74	MPN/100 ML
MB13 (Atascadero Ave)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	06/04/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	06/10/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	06/10/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/06/2024	TOTAL COLIFORM 1:10		305	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/06/2024	E. COLI 1:10		109	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/13/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/13/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/13/2024	E. COLI 1:10		30	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/20/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/20/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/28/2024	TOTAL COLIFORM 1:10		30	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/04/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	TOTAL COLIFORM 1:10		228	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	06/10/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds so Pier Ave end of Strand Way	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/06/2024	TOTAL COLIFORM 1:10		135	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/06/2024	E. COLI 1:10		122	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/13/2024	TOTAL COLIFORM 1:10		243	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/13/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/20/2024	TOTAL COLIFORM 1:10		75	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/20/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/28/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/28/2024	TOTAL COLIFORM 1:10		30	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	05/28/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/04/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	06/10/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave)	05/06/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	05/06/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	05/06/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	05/13/2024	TOTAL COLIFORM 1:10			98 MPN/100 ML
OCB12 (Pier Ave)	05/13/2024	E. COLI 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	05/20/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	05/20/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	05/20/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	05/28/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
OCB12 (Pier Ave)	05/28/2024	E. COLI 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	06/04/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
OCB12 (Pier Ave)	06/04/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB12 (Pier Ave)	06/10/2024	TOTAL COLIFORM 1:10			41 MPN/100 ML
OCB12 (Pier Ave)	06/10/2024	E. COLI 1:10			31 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds no of Pier Ave)	05/06/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/06/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/06/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/13/2024	TOTAL COLIFORM 1:10			41 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/20/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/20/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/20/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	05/28/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/04/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/04/2024	E. COLI 1:10	<		10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/10/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/10/2024	TOTAL COLIFORM 1:10			98 MPN/100 ML
OCB13 (350 yds no of Pier Ave)	06/10/2024	E. COLI 1:10			10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	05/06/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/06/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/06/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/13/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/13/2024	TOTAL COLIFORM 1:10		504	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/13/2024	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/20/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/20/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/20/2024	E. COLI 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/28/2024	TOTAL COLIFORM 1:10		110	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	05/28/2024	E. COLI 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/04/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/04/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/04/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/10/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	06/10/2024	TOTAL COLIFORM 1:10		749	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/06/2024	ENTEROCOCCI, MPN 1:10			53 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/06/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/06/2024	E. COLI 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/13/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/20/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/20/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/20/2024	E. COLI 1:10			20 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/28/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	05/28/2024	E. COLI 1:10			20 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/04/2024	ENTEROCOCCI, MPN 1:10			178 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/04/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/04/2024	E. COLI 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/05/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/10/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds so of pier)	05/06/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	05/06/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	05/06/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	05/13/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	05/20/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	05/20/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB4 (14 yds so of pier)	05/20/2024	E. COLI 1:10			20 MPN/100 ML
PB4 (14 yds so of pier)	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	05/28/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
PB4 (14 yds so of pier)	05/28/2024	E. COLI 1:10			31 MPN/100 ML
PB4 (14 yds so of pier)	06/04/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	06/04/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	06/04/2024	E. COLI 1:10			10 MPN/100 ML
PB4 (14 yds so of pier)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB4 (14 yds so of pier)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	05/06/2024	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/06/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/06/2024	E. COLI 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/13/2024	ENTEROCOCCI, MPN 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/13/2024	TOTAL COLIFORM 1:10			84 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/13/2024	E. COLI 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/20/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/20/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/20/2024	E. COLI 1:10			10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/28/2024	ENTEROCOCCI, MPN 1:10			42 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/28/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	05/28/2024	E. COLI 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/04/2024	TOTAL COLIFORM 1:10			75 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/04/2024	E. COLI 1:10			20 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	06/10/2024	TOTAL COLIFORM 1:10			10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	05/06/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/06/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/06/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/13/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/20/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/20/2024	TOTAL COLIFORM 1:10			63 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/20/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/28/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	05/28/2024	E. COLI 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/04/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/04/2024	E. COLI 1:10			31 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		5/7/2024 to 6/12/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr)	05/06/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/06/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/06/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/13/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/13/2024	TOTAL COLIFORM 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/13/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/20/2024	ENTEROCOCCI, MPN 1:10			10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/20/2024	TOTAL COLIFORM 1:10			30 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/20/2024	E. COLI 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/28/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/28/2024	TOTAL COLIFORM 1:10			31 MPN/100 ML
SEW7 (Silver Shoals Dr)	05/28/2024	E. COLI 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/04/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/04/2024	TOTAL COLIFORM 1:10			20 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/04/2024	E. COLI 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/10/2024	ENTEROCOCCI, MPN 1:10	<		10 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/10/2024	TOTAL COLIFORM 1:10			52 MPN/100 ML
SEW7 (Silver Shoals Dr)	06/10/2024	E. COLI 1:10	<		10 MPN/100 ML