

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
AB8				
AB8 (149 YDS E OF PIER)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
AB8 (149 YDS E OF PIER)	04/06/2026	TOTAL COLIFORM 1:10		30
AB8 (149 YDS E OF PIER)	04/06/2026	E. COLI 1:10		30
AB8 (149 YDS E OF PIER)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
AB8 (149 YDS E OF PIER)	04/13/2026	TOTAL COLIFORM 1:10		63
AB8 (149 YDS E OF PIER)	04/13/2026	E. COLI 1:10	<	10
AB8 (149 YDS E OF PIER)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
AB8 (149 YDS E OF PIER)	04/20/2026	TOTAL COLIFORM 1:10		20
AB8 (149 YDS E OF PIER)	04/20/2026	E. COLI 1:10		10
AB8 (149 YDS E OF PIER)	04/27/2026	ENTEROCOCCI, MPN 1:10		10
AB8 (149 YDS E OF PIER)	04/27/2026	TOTAL COLIFORM 1:10		189
AB8 (149 YDS E OF PIER)	04/27/2026	E. COLI 1:10		122

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
AB10				
AB10 (350 YDS W OF PIER)	04/06/2026	ENTEROCOCCI, MPN 1:10		20
AB10 (350 YDS W OF PIER)	04/06/2026	TOTAL COLIFORM 1:10		1935
AB10 (350 YDS W OF PIER)	04/06/2026	E. COLI 1:10		86
AB10 (350 YDS W OF PIER)	04/13/2026	ENTEROCOCCI, MPN 1:10		2005
AB10 (350 YDS W OF PIER)	04/13/2026	TOTAL COLIFORM 1:10	>	24196
AB10 (350 YDS W OF PIER)	04/13/2026	E. COLI 1:10		2603
AB10 (350 YDS W OF PIER)	04/14/2026	ENTEROCOCCI, MPN 1:10		31
AB10 (350 YDS W OF PIER)	04/14/2026	TOTAL COLIFORM 1:10		4106
AB10 (350 YDS W OF PIER)	04/14/2026	E. COLI 1:10		246
AB10 (350 YDS W OF PIER)	04/20/2026	ENTEROCOCCI, MPN 1:10		75
AB10 (350 YDS W OF PIER)	04/20/2026	TOTAL COLIFORM 1:10		4884
AB10 (350 YDS W OF PIER)	04/20/2026	E. COLI 1:10		199
AB10 (350 YDS W OF PIER)	04/27/2026	ENTEROCOCCI, MPN 1:10		10
AB10 (350 YDS W OF PIER)	04/27/2026	TOTAL COLIFORM 1:10		52
AB10 (350 YDS W OF PIER)	04/27/2026	E. COLI 1:10		10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
CAY13				
CAY13 (Studio Dr pkg lot Near D St.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/06/2026	TOTAL COLIFORM 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/06/2026	E. COLI 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/13/2026	TOTAL COLIFORM 1:10		74
CAY13 (Studio Dr pkg lot Near D St.)	04/13/2026	E. COLI 1:10		63
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	TOTAL COLIFORM 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/20/2026	E. COLI 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	TOTAL COLIFORM 1:10		10
CAY13 (Studio Dr pkg lot Near D St.)	04/27/2026	E. COLI 1:10		10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
CAY14				
CAY14 (Farthest swing set near D St.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/06/2026	TOTAL COLIFORM 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/06/2026	E. COLI 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/13/2026	TOTAL COLIFORM 1:10		20
CAY14 (Farthest swing set near D St.)	04/13/2026	E. COLI 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/20/2026	TOTAL COLIFORM 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/20/2026	E. COLI 1:10	<	10
CAY14 (Farthest swing set near D St.)	04/27/2026	ENTEROCOCCI, MPN 1:10		10
CAY14 (Farthest swing set near D St.)	04/27/2026	TOTAL COLIFORM 1:10		75
CAY14 (Farthest swing set near D St.)	04/27/2026	E. COLI 1:10		10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
CAY16				
CAY16 (North of pier at creek outfall)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY16 (North of pier at creek outfall)	04/06/2026	TOTAL COLIFORM 1:10		10
CAY16 (North of pier at creek outfall)	04/06/2026	E. COLI 1:10		10
CAY16 (North of pier at creek outfall)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY16 (North of pier at creek outfall)	04/13/2026	TOTAL COLIFORM 1:10	<	10
CAY16 (North of pier at creek outfall)	04/13/2026	E. COLI 1:10	<	10
CAY16 (North of pier at creek outfall)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY16 (North of pier at creek outfall)	04/20/2026	TOTAL COLIFORM 1:10		95
CAY16 (North of pier at creek outfall)	04/20/2026	E. COLI 1:10		72
CAY16 (North of pier at creek outfall)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
CAY16 (North of pier at creek outfall)	04/27/2026	TOTAL COLIFORM 1:10		96
CAY16 (North of pier at creek outfall)	04/27/2026	E. COLI 1:10		20

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
HSB23				
HSB23 (100 yds. west of the pier creek outfall)	04/06/2026	ENTEROCOCCI, MPN 1:10		10
HSB23 (100 yds. west of the pier creek outfall)	04/06/2026	TOTAL COLIFORM 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/06/2026	E. COLI 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/13/2026	TOTAL COLIFORM 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/13/2026	E. COLI 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	ENTEROCOCCI, MPN 1:10		10
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	TOTAL COLIFORM 1:10		20
HSB23 (100 yds. west of the pier creek outfall)	04/20/2026	E. COLI 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	TOTAL COLIFORM 1:10	<	10
HSB23 (100 yds. west of the pier creek outfall)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
MB11				
MB11 (25 yds. north of main parking lot)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
MB11 (25 yds. north of main parking lot)	04/06/2026	TOTAL COLIFORM 1:10		30
MB11 (25 yds. north of main parking lot)	04/06/2026	E. COLI 1:10		20
MB11 (25 yds. north of main parking lot)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
MB11 (25 yds. north of main parking lot)	04/13/2026	TOTAL COLIFORM 1:10		10
MB11 (25 yds. north of main parking lot)	04/13/2026	E. COLI 1:10		10
MB11 (25 yds. north of main parking lot)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
MB11 (25 yds. north of main parking lot)	04/20/2026	TOTAL COLIFORM 1:10		10
MB11 (25 yds. north of main parking lot)	04/20/2026	E. COLI 1:10		10
MB11 (25 yds. north of main parking lot)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
MB11 (25 yds. north of main parking lot)	04/27/2026	TOTAL COLIFORM 1:10		20
MB11 (25 yds. north of main parking lot)	04/27/2026	E. COLI 1:10		10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
MB12				
MB12 (Small parking lot south side of creek)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
MB12 (Small parking lot south side of creek)	04/06/2026	TOTAL COLIFORM 1:10		435
MB12 (Small parking lot south side of creek)	04/06/2026	E. COLI 1:10		109
MB12 (Small parking lot south side of creek)	04/13/2026	ENTEROCOCCI, MPN 1:10		10
MB12 (Small parking lot south side of creek)	04/13/2026	TOTAL COLIFORM 1:10	<	10
MB12 (Small parking lot south side of creek)	04/13/2026	E. COLI 1:10	<	10
MB12 (Small parking lot south side of creek)	04/20/2026	ENTEROCOCCI, MPN 1:10		31
MB12 (Small parking lot south side of creek)	04/20/2026	TOTAL COLIFORM 1:10		216
MB12 (Small parking lot south side of creek)	04/20/2026	E. COLI 1:10		52
MB12 (Small parking lot south side of creek)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
MB12 (Small parking lot south side of creek)	04/27/2026	TOTAL COLIFORM 1:10		52
MB12 (Small parking lot south side of creek)	04/27/2026	E. COLI 1:10		20

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
MB13				
MB13 (Atascadero Ave.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
MB13 (Atascadero Ave.)	04/06/2026	TOTAL COLIFORM 1:10		31
MB13 (Atascadero Ave.)	04/06/2026	E. COLI 1:10		20
MB13 (Atascadero Ave.)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
MB13 (Atascadero Ave.)	04/13/2026	TOTAL COLIFORM 1:10		160
MB13 (Atascadero Ave.)	04/13/2026	E. COLI 1:10		63
MB13 (Atascadero Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
MB13 (Atascadero Ave.)	04/20/2026	TOTAL COLIFORM 1:10		10
MB13 (Atascadero Ave.)	04/20/2026	E. COLI 1:10	<	10
MB13 (Atascadero Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
MB13 (Atascadero Ave.)	04/27/2026	TOTAL COLIFORM 1:10		41
MB13 (Atascadero Ave.)	04/27/2026	E. COLI 1:10		20

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
MB14				
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/06/2026	TOTAL COLIFORM 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/06/2026	E. COLI 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/13/2026	TOTAL COLIFORM 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/13/2026	E. COLI 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/20/2026	TOTAL COLIFORM 1:10		417
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/20/2026	E. COLI 1:10	<	10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/27/2026	ENTEROCOCCI, MPN 1:10		10
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/27/2026	TOTAL COLIFORM 1:10		31
MB14 (Alva Paul, Beachcamb Dr. & Luzon)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
OCB11				
OCB11 (571 yds. South of Pier Ave.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/06/2026	TOTAL COLIFORM 1:10		30
OCB11 (571 yds. South of Pier Ave.)	04/06/2026	E. COLI 1:10		30
OCB11 (571 yds. South of Pier Ave.)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/13/2026	TOTAL COLIFORM 1:10		10
OCB11 (571 yds. South of Pier Ave.)	04/13/2026	E. COLI 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		52
OCB11 (571 yds. South of Pier Ave.)	04/20/2026	E. COLI 1:10		10
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10
OCB11 (571 yds. South of Pier Ave.)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
OCB12				
OCB12 (Pier Ave.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB12 (Pier Ave.)	04/06/2026	TOTAL COLIFORM 1:10	<	10
OCB12 (Pier Ave.)	04/06/2026	E. COLI 1:10	<	10
OCB12 (Pier Ave.)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB12 (Pier Ave.)	04/13/2026	TOTAL COLIFORM 1:10	<	10
OCB12 (Pier Ave.)	04/13/2026	E. COLI 1:10	<	10
OCB12 (Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB12 (Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		10
OCB12 (Pier Ave.)	04/20/2026	E. COLI 1:10	<	10
OCB12 (Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB12 (Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10
OCB12 (Pier Ave.)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
OCB13				
OCB13 (350 yds. north of Pier Ave.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB13 (350 yds. north of Pier Ave.)	04/06/2026	TOTAL COLIFORM 1:10		10
OCB13 (350 yds. north of Pier Ave.)	04/06/2026	E. COLI 1:10		10
OCB13 (350 yds. north of Pier Ave.)	04/13/2026	ENTEROCOCCI, MPN 1:10		10
OCB13 (350 yds. north of Pier Ave.)	04/13/2026	TOTAL COLIFORM 1:10		10
OCB13 (350 yds. north of Pier Ave.)	04/13/2026	E. COLI 1:10	<	10
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	ENTEROCOCCI, MPN 1:10		10
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	TOTAL COLIFORM 1:10		31
OCB13 (350 yds. north of Pier Ave.)	04/20/2026	E. COLI 1:10	<	10
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	TOTAL COLIFORM 1:10	<	10
OCB13 (350 yds. north of Pier Ave.)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
OLDE12				
OLDE12 (131 yds. west of restrooms)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
OLDE12 (131 yds. west of restrooms)	04/06/2026	TOTAL COLIFORM 1:10		10
OLDE12 (131 yds. west of restrooms)	04/06/2026	E. COLI 1:10	<	10
OLDE12 (131 yds. west of restrooms)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
OLDE12 (131 yds. west of restrooms)	04/13/2026	TOTAL COLIFORM 1:10		199
OLDE12 (131 yds. west of restrooms)	04/13/2026	E. COLI 1:10		52
OLDE12 (131 yds. west of restrooms)	04/20/2026	ENTEROCOCCI, MPN 1:10		10
OLDE12 (131 yds. west of restrooms)	04/20/2026	TOTAL COLIFORM 1:10		10
OLDE12 (131 yds. west of restrooms)	04/20/2026	E. COLI 1:10		10
OLDE12 (131 yds. west of restrooms)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
OLDE12 (131 yds. west of restrooms)	04/27/2026	TOTAL COLIFORM 1:10		52
OLDE12 (131 yds. west of restrooms)	04/27/2026	E. COLI 1:10		10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
PB3				
PB3 (302 yds. south of pier)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
PB3 (302 yds. south of pier)	04/06/2026	TOTAL COLIFORM 1:10	<	10
PB3 (302 yds. south of pier)	04/06/2026	E. COLI 1:10	<	10
PB3 (302 yds. south of pier)	04/13/2026	ENTEROCOCCI, MPN 1:10		10
PB3 (302 yds. south of pier)	04/13/2026	TOTAL COLIFORM 1:10		313
PB3 (302 yds. south of pier)	04/13/2026	E. COLI 1:10		201
PB3 (302 yds. south of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
PB3 (302 yds. south of pier)	04/20/2026	TOTAL COLIFORM 1:10		1541
PB3 (302 yds. south of pier)	04/20/2026	E. COLI 1:10		20
PB3 (302 yds. south of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
PB3 (302 yds. south of pier)	04/27/2026	TOTAL COLIFORM 1:10		41
PB3 (302 yds. south of pier)	04/27/2026	E. COLI 1:10		31

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
PB4				
PB4 (14 yds. south of pier)	04/06/2026	ENTEROCOCCI, MPN 1:10		10
PB4 (14 yds. south of pier)	04/06/2026	TOTAL COLIFORM 1:10		10
PB4 (14 yds. south of pier)	04/06/2026	E. COLI 1:10		10
PB4 (14 yds. south of pier)	04/13/2026	ENTEROCOCCI, MPN 1:10		99
PB4 (14 yds. south of pier)	04/13/2026	TOTAL COLIFORM 1:10		341
PB4 (14 yds. south of pier)	04/13/2026	E. COLI 1:10		160
PB4 (14 yds. south of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
PB4 (14 yds. south of pier)	04/20/2026	TOTAL COLIFORM 1:10		1723
PB4 (14 yds. south of pier)	04/20/2026	E. COLI 1:10		63
PB4 (14 yds. south of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10		10
PB4 (14 yds. south of pier)	04/27/2026	TOTAL COLIFORM 1:10		41
PB4 (14 yds. south of pier)	04/27/2026	E. COLI 1:10		31

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
PB5				
PB5 (338 yds. north of pier)	04/06/2026	ENTEROCOCCI, MPN 1:10		20
PB5 (338 yds. north of pier)	04/06/2026	TOTAL COLIFORM 1:10		75
PB5 (338 yds. north of pier)	04/06/2026	E. COLI 1:10		41
PB5 (338 yds. north of pier)	04/13/2026	ENTEROCOCCI, MPN 1:10		31
PB5 (338 yds. north of pier)	04/13/2026	TOTAL COLIFORM 1:10		63
PB5 (338 yds. north of pier)	04/13/2026	E. COLI 1:10		10
PB5 (338 yds. north of pier)	04/20/2026	ENTEROCOCCI, MPN 1:10		10
PB5 (338 yds. north of pier)	04/20/2026	TOTAL COLIFORM 1:10		1529
PB5 (338 yds. north of pier)	04/20/2026	E. COLI 1:10		41
PB5 (338 yds. north of pier)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
PB5 (338 yds. north of pier)	04/27/2026	TOTAL COLIFORM 1:10		52
PB5 (338 yds. north of pier)	04/27/2026	E. COLI 1:10		31

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
PICO23				
PICO23 (Pico Ave., San Simeon)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/06/2026	TOTAL COLIFORM 1:10		31
PICO23 (Pico Ave., San Simeon)	04/06/2026	E. COLI 1:10		20
PICO23 (Pico Ave., San Simeon)	04/13/2026	ENTEROCOCCI, MPN 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/13/2026	TOTAL COLIFORM 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/13/2026	E. COLI 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/20/2026	TOTAL COLIFORM 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/20/2026	E. COLI 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
PICO23 (Pico Ave., San Simeon)	04/27/2026	TOTAL COLIFORM 1:10		20
PICO23 (Pico Ave., San Simeon)	04/27/2026	E. COLI 1:10	<	10

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104
FECAL COLIFORM	>	400
TOTAL COLIFORM	>	10,000

SLO ENV HLTH-OCEAN MONITORING		9/29/2025 to 10/27/2025		
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT
SEW7				
SEW7 (Silver Shoals Dr.)	04/06/2026	ENTEROCOCCI, MPN 1:10	<	10
SEW7 (Silver Shoals Dr.)	04/06/2026	TOTAL COLIFORM 1:10		31
SEW7 (Silver Shoals Dr.)	04/06/2026	E. COLI 1:10		31
SEW7 (Silver Shoals Dr.)	04/13/2026	ENTEROCOCCI, MPN 1:10		10
SEW7 (Silver Shoals Dr.)	04/13/2026	TOTAL COLIFORM 1:10		86
SEW7 (Silver Shoals Dr.)	04/13/2026	E. COLI 1:10		31
SEW7 (Silver Shoals Dr.)	04/20/2026	ENTEROCOCCI, MPN 1:10	<	10
SEW7 (Silver Shoals Dr.)	04/20/2026	TOTAL COLIFORM 1:10	<	10
SEW7 (Silver Shoals Dr.)	04/20/2026	E. COLI 1:10	<	10
SEW7 (Silver Shoals Dr.)	04/27/2026	ENTEROCOCCI, MPN 1:10	<	10
SEW7 (Silver Shoals Dr.)	04/27/2026	TOTAL COLIFORM 1:10		201
SEW7 (Silver Shoals Dr.)	04/27/2026	E. COLI 1:10	<	10