

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB8					
AB8 (149 yds east of pier by last steps on rock wa	09/30/2024	ENTEROCOCCI, MPN 1:10		238	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/30/2024	TOTAL COLIFORM 1:10		135	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	09/30/2024	E. COLI 1:10		63	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/02/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/14/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/14/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/14/2024	E. COLI 1:10		41	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2024	TOTAL COLIFORM 1:10		120	MPN/100 ML
AB8 (149 yds east of pier by last steps on rock wa	10/28/2024	E. COLI 1:10		86	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
AB10					
AB10 (350 yards west of pier - creek outfall)	09/30/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/30/2024	TOTAL COLIFORM 1:10		122	MPN/100 ML
AB10 (350 yards west of pier - creek outfall)	09/30/2024	E. COLI 1:10		52	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),	10/28/2024	ENTEROCOCCI, MPN 1:10		124	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),	10/28/2024	TOTAL COLIFORM 1:10		369	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),	10/28/2024	E. COLI 1:10		189	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/14/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/14/2024	TOTAL COLIFORM 1:10		209	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/14/2024	E. COLI 1:10		62	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/21/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
AB10 (350 yards west of pier - creek outfall),8289	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY13					
CAY13 (Studio Dr pkg lot so of Old Creek)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),	10/28/2024	TOTAL COLIFORM 1:10		30	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),	10/28/2024	E. COLI 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/15/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/15/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/15/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/21/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY13 (Studio Dr pkg lot so of Old Creek),37081	10/21/2024	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY14					
CAY14 (Farthest swing set near D street)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street),	10/28/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
CAY14 (Farthest swing set near D street),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/15/2024	ENTEROCOCCI, MPN 1:10		53	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/15/2024	TOTAL COLIFORM 1:10		30	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/15/2024	E. COLI 1:10		20	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/21/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY14 (Farthest swing set near D street),37082	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
CAY16					
CAY16 (north of pier at creek outfall)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/15/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/15/2024	TOTAL COLIFORM 1:10		51	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/15/2024	E. COLI 1:10		30	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/21/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/21/2024	E. COLI 1:10		10	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/28/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
CAY16 (north of pier at creek outfall),82895	10/28/2024	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
HSB23					
HSB23 (100 yds west of the pier - creek outfall)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/15/2024	ENTEROCOCCI, MPN 1:10		831	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/15/2024	TOTAL COLIFORM 1:10		265	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/15/2024	E. COLI 1:10		218	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/16/2024	ENTEROCOCCI, MPN 1:10		64	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/21/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/28/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
HSB23 (100 yds west of the pier - creek outfall),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB11					
MB11, (25 yds north of main parking lot)	09/30/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11, (25 yds north of main parking lot)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot),	10/28/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB11, (25 yds north of main parking lot),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/15/2024	ENTEROCOCCI, MPN 1:10		254	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/15/2024	TOTAL COLIFORM 1:10		185	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/15/2024	E. COLI 1:10		20	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/16/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/21/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
MB11, (25 yds north of main parking lot),37077	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB12					
MB12 (Small prkg lot so side Morro Bay Creek)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),	10/28/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),	10/28/2024	E. COLI 1:10		10	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/15/2024	ENTEROCOCCI, MPN 1:10		150	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/15/2024	TOTAL COLIFORM 1:10		609	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/15/2024	E. COLI 1:10		158	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/16/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/21/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/21/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB12 (Small prkg lot so side Morro Bay Creek),3707	10/21/2024	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB13					
MB13 (Atascadero Ave)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave)	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave),	10/28/2024	TOTAL COLIFORM 1:10		74	MPN/100 ML
MB13 (Atascadero Ave),	10/28/2024	E. COLI 1:10		31	MPN/100 ML
MB13 (Atascadero Ave),37079	10/15/2024	ENTEROCOCCI, MPN 1:10		111	MPN/100 ML
MB13 (Atascadero Ave),37079	10/15/2024	TOTAL COLIFORM 1:10		355	MPN/100 ML
MB13 (Atascadero Ave),37079	10/15/2024	E. COLI 1:10		144	MPN/100 ML
MB13 (Atascadero Ave),37079	10/16/2024	ENTEROCOCCI, MPN 1:10		75	MPN/100 ML
MB13 (Atascadero Ave),37079	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB13 (Atascadero Ave),37079	10/21/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB13 (Atascadero Ave),37079	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
MB14					
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/08/2024	TOTAL COLIFORM 1:10		1050	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/08/2024	E. COLI 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2024	ENTEROCOCCI, MPN 1:10		87	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2024	TOTAL COLIFORM 1:10		1376	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/15/2024	E. COLI 1:10		63	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/21/2024	E. COLI 1:10		10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
MB14 (Alva Paul, Beachcomber Dr & Luzon (so resto	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB11					
OCB11 (571 yds so Pier Ave end of Strand Way	09/30/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,	10/28/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/14/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/14/2024	E. COLI 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/21/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB11 (571 yds so Pier Ave end of Strand Way,37086	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB12					
OCB12 (Pier Ave)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave)	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave),	10/28/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave),37087	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave),37087	10/14/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB12 (Pier Ave),37087	10/14/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB12 (Pier Ave),37087	10/21/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
OCB12 (Pier Ave),37087	10/21/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB12 (Pier Ave),37087	10/21/2024	E. COLI 1:10		20	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OCB13					
OCB13 (350 yds no of Pier Ave)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),	10/28/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),	10/28/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/14/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/14/2024	E. COLI 1:10		10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/21/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
OCB13 (350 yds no of Pier Ave),37088	10/21/2024	E. COLI 1:10		10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
OLDE12					
OLDE12 (131 yds west of lifeguard station/restroom)	09/30/2024	ENTEROCOCCI, MPN 1:10		1652	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/30/2024	TOTAL COLIFORM 1:10		3448	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/02/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/08/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/08/2024	E. COLI 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/14/2024	ENTEROCOCCI, MPN 1:10		324	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/14/2024	TOTAL COLIFORM 1:10		288	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/14/2024	E. COLI 1:10		85	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/15/2024	ENTEROCOCCI, MPN 1:10		1298	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/16/2024	ENTEROCOCCI, MPN 1:10		207	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/17/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/21/2024	E. COLI 1:10		10	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2024	ENTEROCOCCI, MPN 1:10		31	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2024	TOTAL COLIFORM 1:10		156	MPN/100 ML
OLDE12 (131 yds west of lifeguard station/restroom)	10/28/2024	E. COLI 1:10		132	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB3					
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/30/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/14/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/14/2024	E. COLI 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2024	TOTAL COLIFORM 1:10		86	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/21/2024	E. COLI 1:10		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB3 302 YDS SO.OF PIER(SEA VENTURE GREEN ROOF-OCEA	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB4					
PB4 (14 yds so of pier)	09/30/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB4 (14 yds so of pier)	09/30/2024	TOTAL COLIFORM 1:10		10	MPN/100 ML
PB4 (14 yds so of pier)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier),	10/28/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB4 (14 yds so of pier),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier),37090	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier),37090	10/14/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
PB4 (14 yds so of pier),37090	10/14/2024	E. COLI 1:10	<	10	MPN/100 ML
PB4 (14 yds so of pier),37090	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PB4 (14 yds so of pier),37090	10/21/2024	TOTAL COLIFORM 1:10		52	MPN/100 ML
PB4 (14 yds so of pier),37090	10/21/2024	E. COLI 1:10		31	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PB5					
PB5 (338 yds no of pier Edgewater motel blue roof	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/30/2024	TOTAL COLIFORM 1:10		40	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof	09/30/2024	E. COLI 1:10		10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/14/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/14/2024	TOTAL COLIFORM 1:10		63	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/14/2024	E. COLI 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/21/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/21/2024	E. COLI 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/28/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
PB5 (338 yds no of pier Edgewater motel blue roof,	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
PICO23					
PICO23 (Pico Ave, San Simeon out from stairs)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/30/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),	10/28/2024	ENTEROCOCCI, MPN 1:10		20	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),	10/28/2024	TOTAL COLIFORM 1:10		31	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),	10/28/2024	E. COLI 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/15/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/15/2024	TOTAL COLIFORM 1:10		160	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/15/2024	E. COLI 1:10		41	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/21/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/21/2024	TOTAL COLIFORM 1:10	<	10	MPN/100 ML
PICO23 (Pico Ave, San Simeon out from stairs),3708	10/21/2024	E. COLI 1:10	<	10	MPN/100 ML

Beach Water Quality Testing Results



STATE STANDARDS NOT TO EXCEED:

ENTEROCOCCI	>	104	MPN/100 ML
FECAL COLIFORM	>	400	MPN/100 ML
TOTAL COLIFORM	>	10,000	MPN/100 ML

SLO ENV HLTH-OCEAN MONITORING		8/26/2024 to 9/23/2024			
SITE	COLLECT DATE	RESULT NAME	QUALIFIER	RESULT	UNITS
SEW7					
SEW7 (Silver Shoals Dr)	09/30/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/30/2024	TOTAL COLIFORM 1:10		20	MPN/100 ML
SEW7 (Silver Shoals Dr)	09/30/2024	E. COLI 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr),	10/28/2024	ENTEROCOCCI, MPN 1:10	<	10	MPN/100 ML
SEW7 (Silver Shoals Dr),	10/28/2024	TOTAL COLIFORM 1:10		84	MPN/100 ML
SEW7 (Silver Shoals Dr),	10/28/2024	E. COLI 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/14/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/14/2024	TOTAL COLIFORM 1:10		85	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/14/2024	E. COLI 1:10		31	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/21/2024	ENTEROCOCCI, MPN 1:10		10	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/21/2024	TOTAL COLIFORM 1:10		41	MPN/100 ML
SEW7 (Silver Shoals Dr),37092	10/21/2024	E. COLI 1:10		41	MPN/100 ML