

# COUNTY OF SAN LUIS OBISPO HEALTH AGENCY PUBLIC HEALTH LABORATORY

Phone: (805) 781-5507 | Fax: (805) 781-1023 www.sloPublicHealth.org/Lab

## **SPECIMEN COLLECTION & TRANSPORT INSTRUCTIONS**

## Viral Transport Media Collection Kit - For Respiratory Molecular Testing

### **SPECIMEN STORAGE & TRANSPORT**

<u>Temperature</u>: Refrigerated (2–8 °C / 35.6–46.4 °F) <u>Maximum Holding Time</u>: 72 hours (time from collection to test set-up in laboratory) <u>Exceptions</u>: For any exceptions to collection, storage, or transport conditions, please call lab first to discuss.

### **KIT STORAGE**

<u>Temperature</u>: Room temperature (2–25 °C / 35.6–77 °F) <u>Expiration</u>: Kit must be used prior to expiration date listed on kit label

### ACCEPTABLE SPECIMEN TYPES: ALL IN VTM

Acceptable Specimen Types in VTM	Influenza	SARS-CoV-2	<b>Respiratory Panel</b>	Pertussis
Nasopharyngeal swab (preferred)	√	√	$\checkmark$	$\checkmark$
Nasal or mid-turbinate swab	$\checkmark$	$\checkmark$		
Bronchial or nasal wash	$\checkmark$	$\checkmark$		
Throat swab	√	√		
Bronchoalveolar lavage	$\checkmark$	$\checkmark$		
Tracheal aspirates	$\checkmark$	$\checkmark$		
Sputum	$\checkmark$	$\checkmark$		

#### collection swabs & viral transport medium (VTM)



## **REJECTION CRITERIA**

- Holding time greater than 72 hours
- Specimen container not labeled
- Specimen container has leaked or is not sealed properly
- Swab specimens that are missing the swab, contain multiple swabs, or contain the wrong swab

# **SPECIMEN COLLECTION & TRANSPORT INSTRUCTIONS**

## Viral Transport Media Collection Kit – For Influenza/RP/Pertussis PCR Testing

#### **SPECIMEN COLLECTION - NASOPHARYNGEAL SWAB**

- 1. Collect respiratory specimen during acute phase of illness.
  - a. Ask the patient to blow their nose to clear their nasal passage and tilt the patient's head backwards.
  - b. Swiftly insert the small swab into one nostril straight back (not upwards) at a depth equal to distance from nostrils to outer opening of the ear (see image on backside of page).
  - c. Firmly rotate the swab up to 5 times and hold in place for 5-10 seconds to collect epithelial cells.
  - d. Repeat with the other nostril using the same swab.
- 2. Snap the swab at the scored breakpoint line; place swab into VTM tube; close the tube tightly.
- Label the tube with the patient's name, date of birth, and the date/time of collection.
- Place the collection <u>tube inside the</u> <u>zippered portion</u> of the biohazard specimen bag and seal tightly.
- Fill out the requisition form completely. Fold it in half once (no staples please) and place the paperwork in the outer pocket of the biohazard specimen bag (not inside the zippered pouch with the specimen).
- 6. Transport to the laboratory within 72 hours of collection (refrigerated).



