

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

[The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The table shows only the top five limitations for any given soil. The soil may have additional limitations]

*This soil interpretation was designed as a "limitation" as opposed to a "potential" or "suitability". The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation.

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
100:							
Balcom	75	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Arbuckle, sandy loam	5	Slopes > 15%	1.00				
Badlands	5	Slopes > 15%	1.00				
Beam, fine sandy loam	5	Slopes > 15%	1.00				
Nacimiento, clay loam	5	Slopes > 15%	1.00				
San Timoteo, sandy loam	5	Slopes > 15%	1.00				
101:							
Balcom	45	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Nacimiento	30	Limitations					
		Slopes > 15%	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
Arbuckle, sandy loam	3	Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
101:						
Ayar, clay	2	Slopes > 15%	1.00			
Balcom, loam	2	Slopes > 15%	1.00			
Balcom, loam	2	Slopes > 15%	1.00			
Beam, fine sandy loam	2	Slopes > 15%	1.00			
Bellyspring, sandy loam	2	Slopes > 15%	1.00			
Calleguas, loam	2	Slopes > 15%	1.00			
Choice, silty clay	2	Slopes > 15%	1.00			
Polonio, clay loam	2					
San Emigdio, sandy loam	2					
San Timoteo, sandy loam	2	Slopes > 15%	1.00			
Sorrento, clay loam	2					
102:						
Balcom	45	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

102:

Nacimiento	30	Limitations Slopes > 15% 1.00 Permeability < .6"/hr in 24-60" (slow perc) 1.00 Depth to bedrock < 40" 1.00		
Arbuckle, sandy loam	3	Slopes > 15%	1.00	
Ayar, clay	3	Slopes > 15%	1.00	
Beam, fine sandy loam	3	Slopes > 15%	1.00	
Balcom, loam	2	Slopes > 15%	1.00	
Bellyspring, sandy loam	2	Slopes > 15%	1.00	
Calleguas, loam	2	Slopes > 15%	1.00	
Chanac, loam	2	Slopes > 15%	1.00	
Choice, silty clay	2	Slopes > 15%	1.00	
Polonio, clay loam	2			
San Timoteo, sandy loam	2	Slopes > 15%	1.00	
Sorrento, clay loam	2			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
103:							
Balcom	45	Limitations					
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Slopes 8 to 15%	0.63				
Nacimiento	30	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes 8 to 15%	0.63				
Ayar, clay	3						
		Slopes 8 to 15%	0.63				
Beam, fine sandy loam	3						
		Slopes 8 to 15%	0.63				
Choice, silty clay	3						
		Slopes 8 to 15%	0.63				
Polonio, clay loam	3						
San Emigdio, sandy loam	3						
San Timoteo, sandy loam	3						
		Slopes 8 to 15%	0.63				
Sorrento, loam	3						
Arbuckle, sandy loam	2						
		Slopes 8 to 15%	0.63				
Bellyspring, sandy loam	2						
		Slopes 8 to 15%	0.63				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

112:

Balcom	35	Limitations Slopes > 15% 1.00 Depth to bedrock < 40" 1.00 Restricted permeability due to bedrock or hardpan 1.00		
Aido, clay	2	Slopes > 15% 1.00		
Badlands	2	Slopes > 15% 1.00		
Beam, fine sandy loam	2	Slopes > 15% 1.00		
Bellyspring, sandy loam	2	Slopes > 15% 1.00		
Botella, sandy loam	2			
Hillbrick, loam	2	Slopes > 15% 1.00		
Nacimiento, clay loam	2	Slopes > 15% 1.00		
Panoza, loam	2	Slopes > 15% 1.00		
Calleguas, loam	1	Slopes > 15% 1.00		
Calleguas, loam	1	Slopes 8 to 15% 0.63		
Polonio, loam	1			
Rock outcrop	1	Slopes > 15% 1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
114:							
Calleguas	55	Limitations					
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Slopes > 15%	1.00				
Nacimiento	20	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
Aido, clay	3						
		Slopes > 15%	1.00				
Bellyspring, sandy loam	3						
		Slopes > 15%	1.00				
Botella, sandy loam	3						
Hillbrick, sandy loam	3						
		Slopes > 15%	1.00				
Beam, fine sandy loam	2						
		Slopes > 15%	1.00				
Nacimiento, clay loam	2						
		Slopes > 15%	1.00				
Panoza, loam	2						
		Slopes > 15%	1.00				
Polonio, loam	2						
Rock outcrop	2						
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

120:							
Hillbrick	65	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				
Rock outcrop	15	Limitations					
		Slopes > 15%	1.00				
Aido, clay	5						
		Slopes > 15%	1.00				
Hillbrick, loam	5						
		Slopes > 15%	1.00				
Kilmer, loam	5						
		Slopes > 15%	1.00				
San Timoteo, sandy loam	5						
		Slopes > 15%	1.00				
121:							
Hillbrick	65	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				
Rock outcrop	15	Limitations					
		Slopes > 15%	1.00				
Aido, clay	5						
		Slopes > 15%	1.00				
Beam, fine sandy loam	5						
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
121:						
Kilmer, loam	5	Slopes > 15%	1.00			
San Timoteo, sandy loam	5	Slopes > 15%	1.00			
123:						
Lithic Torriorthents	30	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Semper	25	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Rock outcrop	20	Limitations				
		Slopes > 15%	1.00			
Beam, fine sandy loam	5	Slopes > 15%	1.00			
Gaviota, sandy loam	5	Slopes > 15%	1.00			
Kilmer, loam	5	Slopes > 15%	1.00			
Panoza, loam	5	Slopes > 15%	1.00			
Lithic Torriorthents, sandy loam	2	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
123:						
Semper, very fine sandy loam	2	Slopes > 15%	1.00			
Lithic Torriorthents, sandy loam	1	Slopes > 15%	1.00			
129:						
Kilmer	40	Limitations				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Slopes 8 to 15%	0.63			
Hillbrick	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
		Slopes 8 to 15%	0.63			
Aramburu, very channery loam	3	Depth to bedrock < 40"	1.00			
		Slopes 8 to 15%	0.63			
Beam, fine sandy loam	3	Slopes 8 to 15%	0.63			
Capay, clay	3					
Panoza, loam	3	Slopes 8 to 15%	0.63			
Rock outcrop	3	Slopes 8 to 15%	0.63			
San Timoteo, sandy loam	3	Slopes 8 to 15%	0.63			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
129:						
Temblor, very channery loam	3	Slopes 8 to 15%	0.63			
Hillbrick, loam	2					
130:						
Kilmer	40	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
Hillbrick	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Aramburu, very channery loam	3	Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
Badlands	3	Slopes > 15%	1.00			
Beam, fine sandy loam	2	Slopes > 15%	1.00			
Choice, silty clay	2	Slopes > 15%	1.00			
Gaviota, sandy loam	2	Slopes > 15%	1.00			
Panoza, loam	2	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
130:						
Rock outcrop	2					
		Slopes > 15%	1.00			
San Emigdio, sandy loam	2					
San Timoteo, sandy loam	2					
		Slopes > 15%	1.00			
Tembler, very channery loam	2					
		Slopes > 15%	1.00			
Unnamed non-calcareous soil	1					
		Slopes > 15%	1.00			
Unnamed soil over soft sandstone	1					
		Slopes > 15%	1.00			
Unnamed soil with channery loam surface layer	1					
		Slopes > 15%	1.00			
131:						
Kilmer	40	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
Hillbrick	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Aido, clay	3					
		Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
131:						
Aramburu, very channery loam	3	Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
Beam, fine sandy loam	3	Slopes > 15%	1.00			
Gaviota, sandy loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
Badlands	2	Slopes > 15%	1.00			
Rock outcrop	2	Slopes > 15%	1.00			
San Timoteo, sandy loam	2	Slopes > 15%	1.00			
Unnamed soil with channery loam surface layer	2	Slopes > 15%	1.00			
Hillbrick, loam	1	Slopes > 15%	1.00			
Kilmer, loam	1	Slopes > 15%	1.00			
134:						
Kilmer	30	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

134:							
Nacimiento	25	Limitations					
		Slopes > 15%		1.00			
		Permeability < .6"/hr in 24-60" (slow perc)		1.00			
		Depth to bedrock < 40"		1.00			
Aido	15	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)		1.00			
		Slopes > 15%		1.00			
		Depth to bedrock < 40"		1.00			
Ayar, clay	5						
		Slopes > 15%		1.00			
Beam, fine sandy loam	5						
		Slopes > 15%		1.00			
Hillbrick, loam	5						
		Slopes > 15%		1.00			
Padres, sandy loam	5						
Panoza, loam	4						
		Slopes > 15%		1.00			
Semper, very fine sandy loam	4						
		Slopes > 15%		1.00			
Unnamed soil with gravelly or very gravelly loam substratum	2						
		Slopes > 15%		1.00			
140:							
Choice	80	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)		1.00			
		Slopes > 15%		1.00			
		Depth to bedrock 40 - 72"		0.89			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
140:						
Aido, clay	3	Slopes > 15%	1.00			
Balcom, loam	3	Slopes > 15%	1.00			
Nacimiento, clay loam	3	Slopes > 15%	1.00			
San Emigdio, sandy loam	3					
Sorrento, loam	3					
Xerorthents, very gravelly loam	2	Slopes > 15%	1.00			
Choice, silty clay	1	Slopes 8 to 15%	0.63			
Choice, silty clay	1	Slopes > 15%	1.00			
Rock outcrop	1	Slopes > 15%	1.00			
149:						
San Emigdio	80	Limitations Seepage in bottom layer	1.00			
Metz, loamy sand	14					
Unnamed soil of very gravelly sandy loam	6					
150:						
San Emigdio	80	Limitations Seepage in bottom layer	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
150:							
Metz, loamy sand	5						
Xerofluvents, sand	5						
Unnamed soil of very gravelly sandy loam	4						
San Emigdio, sandy loam	3						
Unnamed soil with a non-calcareous surface layer	3						
154:							
San Emigdio	85	Limitations Seepage in bottom layer	1.00				
Unnamed fine-loamy soil	15	No limitations					
155:							
San Emigdio	85	Limitations Seepage in bottom layer	1.00				
Unnamed fine-loamy soil	15	No limitations					
159:							
Sorrento	85	Limitations Permeability ranges .6 - 2"/hr (slow perc)	0.68				
Capay, clay	4						
Polonio, clay loam	4						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
159:							
San Emigdio, sandy loam	4						
Unnamed soil with a clay subsoil	3						
160:							
Sorrento	85	Limitations Permeability ranges .6 - 2"/hr (slow perc)	0.68				
Capay, clay	3						
Padres, sandy loam	3						
Polonio, clay loam	3						
San Emigdio, sandy loam	3						
Unnamed soil with a clay subsoil	3						
169:							
Polonio	75	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Balcom, loam	3						
Beam, fine sandy loam	2						
Chicote, silt clay loam	2						
Hillbrick, sandy loam	2						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

169:							
Padres, sandy loam	2						
Panoza, loam	2						
Polonio, clay loam	2						
San Emigdio, sandy loam	2						
Thomhill, loam	2						
Wasioja, sandy loam	2						
Xerofluvents, sand	2						
Yeguas, loam	2						
170:							
Polonio	65	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Balcom, loam	3						
Beam, fine sandy loam	3						
Chicote, silty clay loam	3						
Hillbrick, sandy loam	3						
Padres, sandy loam	3						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
170:							
Panoza, loam	3						
Polonio, clay loam	3						
San Emigdio, sandy loam	3						
Thomhill, loam	3						
Wasioja, sandy loam	3						
Xerofluvents, sand	3						
Unnamed clay loam surface	2						
173:							
Polonio	85	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Beam, sandy loam	2						
Hillbrick, sandy loam	2						
Padres, sandy loam	2						
Panoza, loam	2						
San Emigdio, sandy loam	2						
Panoza, clay loam	1	Slopes 8 to 15%	0.63				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
173:							
Polonio, clay loam	1						
Wasioja, sandy loam	1						
Xerofluvents, cobbly loamy sand	1						
Yeguas, loam	1						
174:							
Polonio	50	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Thomhill	30	Limitations Permeability ranges .6 - 2"/hr (slow perc)	0.68				
Chicote, clay loam	4						
Padres, sandy loam	4						
Unnamed gravelly soil	4						
Unnamed non-calcareous soil	4						
Yeguas, loam	4						
175:							
Polonio	50	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

175:
 Thomhill 30 Limitations
 Permeability ranges 0.68
 .6 - 2"/hr (slow perc)

Chicote, clay loam 4

Padres, sandy loam 4

Unnamed gravelly 4

Unnamed non-calcareous 4

Yeguas, loam 4

179:
 Padres 70 Limitations
 Permeability ranges 0.50
 .6 - 2"/hr (slow perc)

Beam, sandy loam 5

Hillbrick, sandy loam 5

Panoza, loam 5

Polonio, loam 5

Wasioja, sandy loam 5

Xerofluvents, cobbly loamy sand 5

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

180:
 Padres 65 Limitations
 Permeability ranges 0.50
 .6 - 2"/hr (slow perc)

Beam, sandy loam 5

Hillbrick, sandy loam 5

Padres, sandy loam 5

Panoza, loam 5

Polonio, loam 5

Wasioja, sandy loam 5

Xerofluvents, cobbly loamy sand 5

182:
 Oceano 50 Limitations
 Seepage in bottom layer 1.00
 Permeability > 6"/hr in 24-60" (seepage and poor filter) 1.00

Metz, loamy sand 14

Arnold, loamy sand 10
 Slopes 8 to 15% 0.63

Botella, sandy loam 10

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
182:					
Soil similar to oceano but has a dark gray surface layer	10				
Oceano, loamy sand	2	Slopes 8 to 15%	0.63		
San Andreas, sandy loam	2	Slopes 8 to 15%	0.63		
San Emigdio, fine sandy loam	2				
190:					
Reward	70	Limitations			
		Slopes > 15%	1.00		
		Permeability ranges .6 - 2"/hr (slow perc)	0.68		
		Depth to bedrock 40 - 72"	0.30		
Aramburu, very channery loam	8				
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
Temblor, very channery loam	8				
		Slopes > 15%	1.00		
Hillbrick, loam	7				
		Slopes > 15%	1.00		
Kilmer, loam	7				
		Slopes > 15%	1.00		
191:					
Reward	70	Limitations			
		Slopes > 15%	1.00		
		Permeability ranges .6 - 2"/hr (slow perc)	0.68		
		Depth to bedrock 40 - 72"	0.30		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
191:						
Aramburu, very channery clay loam	8	Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
Temblor, very channery sandy loam	8	Slopes > 15%	1.00			
Hillbrick, sandy loam	7	Slopes > 15%	1.00			
Kilmer, loam	7	Slopes > 15%	1.00			
200:						
Aramburu	70	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Hillbrick, sandy loam	4	Slopes > 15%	1.00			
Kilmer, loam	4	Slopes > 15%	1.00			
Reward, channery loam	4	Slopes > 15%	1.00			
Temblor, very channery loam	4	Slopes > 15%	1.00			
Unnamed calcareous soil	4	Slopes > 15%	1.00			
Unnamed soil with pale brown surface layer	4	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
200:						
Aramburu, very channery loam	3	Slopes 8 to 15%	0.63			
Aramburu, very channery loam	3	Slopes > 15%	1.00			
201:						
Aramburu	65	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Hillbrick, sandy loam	6	Slopes > 15%	1.00			
Kilmer, loam	6	Slopes > 15%	1.00			
Reward, channery loam	6	Slopes > 15%	1.00			
Temblor, very channery loam	6	Slopes > 15%	1.00			
Unnamed soil with pale brown surface layer	6	Slopes > 15%	1.00			
Unnamed calcareous soil	5	Slopes > 15%	1.00			
202:						
Aramburu	65	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
202:						
Hillbrick, sandy loam	5	Slopes > 15%	1.00			
Kilmer, loam	5	Slopes > 15%	1.00			
Reward, channery loam	5	Slopes > 15%	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
Temblor, very channery loam	5	Slopes > 15%	1.00			
Unnamed calcareous soil	5	Slopes > 15%	1.00			
Unnamed soil with pale brown surface layer	5	Slopes > 15%	1.00			
204:						
Aramburu	40	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Temblor	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Hillbrick, sandy loam	4	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
204:						
Kilmer, loam	4	Slopes > 15%	1.00			
Reward, channery loam	4	Slopes > 15%	1.00			
Unnamed soil with pale brown surface layer	4	Slopes > 15%	1.00			
Aramburu, very channery loam	3	Slopes > 15%	1.00			
Rock outcrop	3	Slopes > 15%	1.00			
Unnamed calcareous soil	3	Slopes > 15%	1.00			
205:						
Aramburu	35	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Temblor	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Hillbrick, sandy loam	5	Slopes > 15%	1.00			
Kilmer, loam	5	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
205:							
Reward, channery loam	4	Slopes > 15%	1.00				
Rock outcrop	4	Slopes > 15%	1.00				
Unnamed calcareous soil	4	Slopes > 15%	1.00				
Unnamed soil with pale brown surface layer	4	Slopes > 15%	1.00				
Aramburu, very channery loam	2	Slopes > 15%	1.00				
Temblor, very channery loam	2	Slopes > 15%	1.00				
218:							
Seaback	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Calleguas	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Panoza	20	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Permeability ranges .6 - 2"/hr (slow perc)	0.50				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
218:							
Aramburu, very channery loam	4	Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
Bellyspring, sandy loam	4	Slopes > 15%	1.00				
Gaviota, sandy loam	4	Slopes > 15%	1.00				
Hillbrick, sandy loam	3	Slopes > 15%	1.00				
Unnamed soil with dark colored surface layer	3	Slopes > 15%	1.00				
Yeguas, loam	3						
Panoza, loam	2	Slopes > 15%	1.00				
Seaback, loam	2	Slopes > 15%	1.00				
219:							
Xerorthents	50	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Seepage in bottom layer	1.00				
Badlands	35	Limitations					
		Slopes > 15%	1.00				
Beam, fine sandy loam	3	Slopes > 15%	1.00				
Hillbrick, loam	3	Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
219:						
Kilmer, loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
Rock outcrop	3	Slopes > 15%	1.00			
220:						
Beam	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Panoza	30	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Hillbrick	15	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Bellyspring, sandy loam	3	Slopes > 15%	1.00			
Padres, sandy loam	3					
Semper, very fine sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
220:					
Wasioja, sandy loam	3				
Beam, fine sandy loam	2	Slopes > 15%	1.00		
Panoza, loam	2	Slopes 8 to 15%	0.63		
Rock outcrop	2	Slopes > 15%	1.00		
Unnamed soil with stony surface layer	2	Slopes > 15%	1.00		
221:					
Beam	35	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
		Seepage in bottom layer	1.00		
Panoza	30	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
		Permeability ranges .6 - 2"/hr (slow perc)	0.50		
Hillbrick	15	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
		Seepage in bottom layer	1.00		
Badlands	3	Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
221:					
Bellyspring, sandy loam	3	Slopes > 15%	1.00		
Padres, sandy loam	2				
Panoza, loam	2	Slopes > 15%	1.00		
Rock outcrop	2	Slopes > 15%	1.00		
San Timoteo, sandy loam	2	Slopes > 15%	1.00		
Semper, very fine sandy loam	2	Slopes > 15%	1.00		
Unnamed soil with stony surface layer	2	Slopes > 15%	1.00		
Wasioja, sandy loam	2				
222:					
Beam	35	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
		Seepage in bottom layer	1.00		
Panoza	30	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
		Permeability ranges .6 - 2"/hr (slow perc)	0.50		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

222:

Hillbrick	15	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00 Seepage in bottom layer 1.00		
Badlands	3	Slopes > 15% 1.00		
Bellyspring, sandy loam	3	Slopes > 15% 1.00		
Padres, sandy loam	3			
Semper, very fine sandy loam	3	Slopes > 15% 1.00		
Panoza, loam	2	Slopes > 15% 1.00		
Rock outcrop	2	Slopes > 15% 1.00		
Unnamed soil with stony surface layer	2	Slopes > 15% 1.00		
Wasioja, sandy loam	2			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

227:

Beam	40	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00 Seepage in bottom layer 1.00 Fragments (>3") 25 to 50% 0.00	
Panoza	35	Limitations Slopes > 15% 1.00 Depth to bedrock < 40" 1.00 Fragments (>3") 25 to 50% 0.74 Permeability ranges .6 - 2"/hr (slow perc) 0.50	
Panoza, loam	13	Slopes 8 to 15% 0.63	
Beam, fine sandy loam	12	Slopes > 15% 1.00	

228:

Beam	40	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00 Seepage in bottom layer 1.00 Fragments (>3") 25 to 50% 0.00	
Panoza	35	Limitations Slopes > 15% 1.00 Depth to bedrock < 40" 1.00 Fragments (>3") 25 to 50% 0.74 Permeability ranges .6 - 2"/hr (slow perc) 0.50	

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
228:						
Beam, fine sandy loam	17	Limitations				
		Slopes > 15%	1.00			
Panoza, loam	8	Slopes 8 to 15%	0.63			
229:						
Seaback	40	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
San Timoteo	35	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
Panoza, loam	4	Slopes > 15%	1.00			
Badlands	3	Slopes > 15%	1.00			
Bellyspring, sandy loam	3	Slopes > 15%	1.00			
Jenks, clay loam	3	Slopes > 15%	1.00			
Rock outcrop	3	Slopes > 15%	1.00			
San Andreas, loam	3	Slopes > 15%	1.00			
San Timoteo, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
229:						
Seaback, loamloam	3	Slopes > 15%	1.00			
230:						
Padres	50	Limitations Seepage in bottom layer	1.00			
Wasioja	35	Limitations Permeability < .6"/hr in 24-60" (slow perc) Seepage in bottom layer	1.00 1.00			
Polonio, loam	4					
Xerofluvents, cobbly loamy sand	4					
Rock outcrop	3					
Panoza, loam	2	Slopes 8 to 15%	0.63			
Panoza, sandy loam	2	Slopes 8 to 15%	0.63			
240:						
Panoza	40	Limitations Slopes > 15% Depth to bedrock < 40" Permeability ranges .6 - 2"/hr (slow perc)	1.00 1.00 0.50			
Beam	30	Limitations Depth to bedrock < 40" Slopes > 15% Restricted permeability due to bedrock or hardpan	1.00 1.00 1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
240:							
Bellyspring, sandy loam	4	Slopes > 15%	1.00				
Hillbrick, loam	4	Slopes > 15%	1.00				
Padres, sandy loam	4						
Beam, fine sandy loam	3	Slopes > 15%	1.00				
Beam, stony fine sandy loam	3	Slopes > 15%	1.00				
Panoza, loam	3	Slopes 8 to 15%	0.63				
Semper, very fine sandy loam	3	Slopes > 15%	1.00				
Thomhill, loam	3						
Wasioja, sandy loam	3						
241:							
Panoza	40	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Permeability ranges .6 - 2"/hr (slow perc)	0.50				
Beam	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
241:						
Badlands	4	Slopes > 15%	1.00			
Bellyspring, sandy loam	4	Slopes > 15%	1.00			
Hillbrick, loam	4	Slopes > 15%	1.00			
Beam, loam	3	Slopes > 15%	1.00			
Beam, stony loam	3	Slopes > 15%	1.00			
Padres, sandy loam	3					
Polonio, loam	3					
Semper, very fine sandy loam	3	Slopes > 15%	1.00			
Wasioja, sandy loam	3					
242:						
Panoza	40	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Beam	30	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
242:						
Badlands	4	Slopes > 15%	1.00			
Bellyspring, sandy loam	4	Slopes > 15%	1.00			
Hillbrick, loam	4	Slopes > 15%	1.00			
Padres, sandy loam	4					
Semper, very fine sandy loam	4	Slopes > 15%	1.00			
Wasioja, sandy loam	4					
Beam, stony loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
248:						
Pyxo	55	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Cochora	30	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Cochora, loam	3	Slopes 8 to 15%	0.04			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
248:						
Cochora, cobbly loam	3	Slopes > 15%	1.00			
Pyxo, loam	3	Slopes 8 to 15%	0.04			
Padres, fine sandy loam	2					
Pyxo, loam	2	Slopes > 15%	1.00			
Rock outcrop	2	Slopes > 15%	1.00			
249:						
Xeric Torriorthents	50	Limitations				
		Slopes > 15%	1.00			
		Seepage in bottom layer	1.00			
		Depth to bedrock 40 - 72"	0.98			
Badlands	25	Limitations				
		Slopes > 15%	1.00			
Hillbrick, sandy loam	7	Slopes > 15%	1.00			
Beam, fine sandy loam	6	Slopes > 15%	1.00			
Kilmer, loam	6	Slopes > 15%	1.00			
Pyxo, loam	6	Slopes > 15%	1.00			
250:						
Pyxo	40	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
250:							
Cochora	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				
Badlands	15	Limitations					
		Slopes > 15%	1.00				
Polonio, clay loam	4						
Xeric Torriorthents, gravelly sandy loam	4						
		Slopes > 15%	1.00				
Cochora, eroded	3						
		Slopes > 15%	1.00				
Padres, sandy loam	3						
Pyxo, eroded	3						
		Slopes > 15%	1.00				
Rock outcrop	3						
		Slopes > 15%	1.00				
251:							
Nacimiento	75	Limitations					
		Slopes > 15%	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
Balcom, loam	4						
		Slopes > 15%	1.00				
Aido, clay	3						
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
251:						
Beam, fine sandy loam	3	Slopes > 15%	1.00			
Choice, silty clay	3	Slopes > 15%	1.00			
Nacimiento, clay loam	3	Slopes > 15%	1.00			
San Emigdio, sandy loam	3					
San Timoteo, sandy loam	3	Slopes > 15%	1.00			
Sorrento, loam	3					
252:						
Nacimiento	75	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
Aido, silty clay	4	Slopes > 15%	1.00			
Balcom, loam	4	Slopes > 15%	1.00			
Beam, loam	4	Slopes > 15%	1.00			
Choice, silty clay	4	Slopes > 15%	1.00			
San Emigdio, sandy loam	3					
San Timoteo, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
252:					
Sorrento, clay loam	3				
261:					
Aido	85	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
Balcom, loam	4	Slopes > 15%	1.00		
Nacimiento, clay loam	3	Slopes > 15%	1.00		
Aido, clay	2	Slopes 8 to 15%	0.63		
Choice, silty clay	2	Slopes > 15%	1.00		
Hillbrick, loam	2	Slopes > 15%	1.00		
Kilmer, loam	2	Slopes > 15%	1.00		
262:					
Aido	80	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
Balcom, loam	4	Slopes > 15%	1.00		
Nacimiento, clay loam	4	Slopes > 15%	1.00		
Aido, clay	3	Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
262:					
Choice, silty clay	3	Slopes > 15%	1.00		
Hillbrick, loam	3	Slopes > 15%	1.00		
Kilmer, loam	3	Slopes > 15%	1.00		
263:					
Aido	85	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
Balcom, loam	3	Slopes > 15%	1.00		
Choice, silty clay	3	Slopes > 15%	1.00		
Hillbrick, loam	3	Slopes > 15%	1.00		
Kilmer, loam	3	Slopes > 15%	1.00		
Nacimiento, clay loam	3	Slopes > 15%	1.00		
270:					
Ayar	80	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Depth to bedrock 40 - 72"	0.96		
Aido, clay	10	Slopes 8 to 15%	0.63		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
274:							
Hillbrick	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				
Aido	20	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
Beam, fine sandy loam	3						
		Slopes > 15%	1.00				
Kilmer, loam	3						
		Slopes > 15%	1.00				
Nacimiento, clay loam	3						
		Slopes > 15%	1.00				
Panoza, loam	3						
		Slopes > 15%	1.00				
Bellyspring, sandy loam	2						
		Slopes > 15%	1.00				
Hillbrick, loam	2						
		Slopes > 15%	1.00				
Rock outcrop	2						
		Slopes > 15%	1.00				
San Timoteo, sandy loam	2						
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
275:					
Ayar	30	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Slopes > 15%	1.00		
		Depth to bedrock 40 - 72"	0.47		
Hillbrick	30	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
		Seepage in bottom layer	1.00		
Aido	20	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
Beam, fine sandy loam	3	Slopes > 15%	1.00		
Kilmer, loam	3	Slopes > 15%	1.00		
Ayar, clay	2	Slopes > 15%	1.00		
Bellyspring, sandy loam	2	Slopes > 15%	1.00		
Hillbrick, loam	2	Slopes > 15%	1.00		
Nacimiento, clay loam	2	Slopes > 15%	1.00		
Panoza, loam	2	Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
275:						
Rock outcrop	2	Slopes > 15%	1.00			
San Timoteo, sandy loam	2	Slopes > 15%	1.00			
280:						
Seaback	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Slopes 8 to 15%	0.63			
Panoza	30	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes 8 to 15%	0.63			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Jenks	15	Limitations				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Slopes 8 to 15%	0.63			
Aido, clay	3	Slopes 8 to 15%	0.63			
Choice, silty clay	3	Slopes 8 to 15%	0.63			
Padres, sandy loam	2					
Panoza, loam	2					
Pinspring, loam	2					

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
280:							
Polonio, clay loam	2						
Seaback, loam	2	Slopes > 15%	1.00				
Thomhill, loam	2						
Yeguas, loam	2						
281:							
Seaback	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Panoza	30	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Permeability ranges .6 - 2"/hr (slow perc)	0.50				
Jenks	15	Limitations					
		Slopes > 15%	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
Aido, clay	3	Slopes > 15%	1.00				
Choice, silty clay	3	Slopes > 15%	1.00				
Padres, sandy loam	2						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
281:					
Panoza, loam	2	Slopes 8 to 15%	0.63		
Pinspring, loam	2				
Polonio, clay loam	2				
Seaback, loam	2	Slopes > 15%	1.00		
Thomhill, loam	2				
Yeguas, loam	2				
282:					
Seaback	35	Limitations Depth to bedrock < 40" Slopes > 15% Restricted permeability due to bedrock or hardpan	 1.00 1.00 1.00		
Panoza	30	Limitations Slopes > 15% Depth to bedrock < 40" Permeability ranges .6 - 2"/hr (slow perc)	 1.00 1.00 0.50		
Jenks	15	Limitations Slopes > 15% Permeability < .6"/hr in 24-60" (slow perc) Depth to bedrock < 40"	 1.00 1.00 1.00		
Aido, clay	2	Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
282:							
Choice, silty clay	2	Slopes > 15%	1.00				
Padres, sandy loam	2						
Panoza, sandy loam	2	Slopes > 15%	1.00				
Pinspring, loam	2						
Polonio, loam	2						
San Timoteo, sandy loam	2	Slopes > 15%	1.00				
Seaback, loam	2	Slopes > 15%	1.00				
Thomhill, loam	2						
Yeguas, loam	2						
290:							
San Timoteo	30	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Seepage in bottom layer	1.00				
San Andreas	25	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
290:					
Bellyspring	20	Limitations			
		Slopes > 15%	1.00		
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Depth to bedrock < 40"	1.00		
		Seepage in bottom layer	1.00		
Arbuckle, fine sandy loam	4	Slopes > 15%	1.00		
Arnold, loamy sand	3	Slopes > 15%	1.00		
Beam, loam	3	Slopes > 15%	1.00		
Nacimiento, clay loam	3	Slopes > 15%	1.00		
Panoza, loam	3	Slopes > 15%	1.00		
Rock outcrop	3	Slopes > 15%	1.00		
San Timoteo, sandy loam	3	Slopes > 15%	1.00		
San Timoteo, cobbly sandy loam	3	Slopes > 15%	1.00		
291:					
San Timoteo	30	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
		Seepage in bottom layer	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
291:						
San Andreas	25	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Bellyspring	20	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
Arbuckle, fine sandy loam	3	Slopes > 15%	1.00			
Arnold, loamy sand	3	Slopes > 15%	1.00			
Beam, loam	3	Slopes > 15%	1.00			
Badlands	2	Slopes > 15%	1.00			
Balcom, loam	2	Slopes > 15%	1.00			
Nacimiento, clay loam	2	Slopes > 15%	1.00			
Panoza, loam	2	Slopes > 15%	1.00			
Rock outcrop	2	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
291:						
San Timoteo, cobbly sandy loam	2	Slopes > 15%	1.00			
Unnamed gentler slope	2	Slopes > 15%	1.00			
Unnamed steeper slope	2	Slopes > 15%	1.00			
292:						
San Timoteo	30	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
San Andreas	25	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Bellyspring	20	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
Arnold, loamy sand	4	Slopes > 15%	1.00			
Badlands	3	Slopes > 15%	1.00			
Beam, loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
292:						
Bellyspring, sandy loam	3	Slopes > 15%	1.00			
Nacimiento, clay loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
Rock outcrop	3	Slopes > 15%	1.00			
San Timoteo, cobbly sandy loam	3	Slopes > 15%	1.00			
301:						
Arbuckle	70	Limitations				
		Seepage in bottom layer	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
Padres, sandy loam	6					
Polonio, loam	6					
San Emigdio, sandy loam	6					
San Timoteo, sandy loam	6					
Xerofluvents, sand	6					

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

302:

Arbuckle	70	Limitations		
		Seepage in bottom layer	1.00	
		Permeability < .6"/hr in 24-60" (slow perc)	1.00	
		Slopes 8 to 15%	0.63	
San Emigdio, sandy loam	5			
San Timoteo, sandy loam	5			
		Slopes 8 to 15%	0.63	
Arbuckle, sandy loam	4			
		Slopes > 15%	1.00	
Arbuckle, cobbly sandy loam	4			
		Slopes 8 to 15%	0.63	
Padres, sandy loam	4			
Polonio, loam	4			
Xerofluvents, sand	4			

303:

Arbuckle	70	Limitations		
		Slopes > 15%	1.00	
		Seepage in bottom layer	1.00	
		Permeability < .6"/hr in 24-60" (slow perc)	1.00	
Padres, sandy loam	6			
Polonio, loam	6			
San Emigdio, sandy loam	6			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
303:					
San Timoteo, sandy loam	6				
		Slopes > 15%	1.00		
Xerofluvents, sand	6				
304:					
Arbuckle	70	Limitations			
		Slopes > 15%	1.00		
		Seepage in bottom layer	1.00		
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Padres, sandy loam	6				
Polonio, loam	6				
San Emigdio, sandy loam	6				
San Timoteo, sandy loam	6				
		Slopes > 15%	1.00		
Xerofluvents, sand	6				
306:					
Arbuckle	70	Limitations			
		Slopes > 15%	1.00		
		Seepage in bottom layer	1.00		
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Arbuckle, cobbly sandy loam	5				
		Slopes > 15%	1.00		
Padres, sandy loam	5				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
306:							
Polonio, loam	5						
San Emigdio, sandy loam	5						
San Timoteo, sandy loam	5	Slopes > 15%	1.00				
Xerofluvents, sand	5						
307:							
Arbuckle	70	Limitations					
		Slopes > 15%	1.00				
		Seepage in bottom layer	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Padres, sandy loam	6						
Polonio, loam	6						
San Emigdio, sandy loam	6						
San Timoteo, sandy loam	6	Slopes > 15%	1.00				
Xerofluvents, sand	6						
310:							
Pinspring	40	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

310:

Yeguas	40	Limitations Permeability < .6"/hr in 24-60" (slow perc) 1.00 Seepage in bottom layer 1.00		
Bellyspring, sandy loam	3	Slopes 8 to 15%	0.63	
Jenks, clay loam	3			
Polonio, loam	3			
Thomhill, loam	3			
Wasioja, sandy loam	3			
Yeguas, loam	3			
Unnamed area subject to flooding	2			

311:

Pinspring	40	Limitations Permeability < .6"/hr in 24-60" (slow perc) 1.00		
Yeguas	40	Limitations Permeability < .6"/hr in 24-60" (slow perc) 1.00 Seepage in bottom layer 1.00		
Beam, loam	3	Slopes 8 to 15%	0.63	
Jenks, clay loam	3			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
311:							
Polonio, loam	3						
Thomhill, loam	3						
Unnamed soil that is moderately deep to soft bedrock	3						
Wasioja, sandy loam	3						
Unnamed area subject to flooding	2						
321:							
Thomhill	80	Limitations Permeability ranges .6 - 2"/hr (slow perc)	0.68				
Pinspring, loam	4						
Polonio, loam	4						
Thomhill, loam	4						
Wasioja, sandy loam	4						
Yeguas, loam	4						
330:							
Jenks	80	Limitations Permeability < .6"/hr in 24-60" (slow perc) Depth to bedrock < 40"	1.00 1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
330:					
Beam, fine sandy loam	4	Slopes 8 to 15%	0.63		
Jenks, clay loam	2	Slopes 8 to 15%	0.63		
Jenks, clay loam	2				
Nacimiento, clay loam	2	Slopes 8 to 15%	0.63		
Panoza, loam	2	Slopes 8 to 15%	0.63		
Polonio, clay loam	2				
Thomhill, loam	2				
Unnamed soil more than 40 inches deep to sandstone	2				
Yeguas, loam	2				
339:					
Arnold	30	Limitations			
		Seepage in bottom layer	1.00		
		Slopes > 15%	1.00		
		Permeability > 6"/hr in 24-60" (seepage and poor filter)	1.00		
		Depth to bedrock 40 - 72"	0.96		
San Andreas	20	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Seepage in bottom layer	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
339:						
Badlands	10	Slopes > 15%	1.00			
Unnamed calcareous soil	10	Slopes > 15%	1.00			
Aido, clay	5	Slopes > 15%	1.00			
Cieneba, coarse sandy loam	5	Slopes > 15%	1.00			
Gaviota, sandy loam	5	Slopes > 15%	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
Shimmon, fine sandy loam	5	Slopes > 15%	1.00			
Urban land	5	Slopes 8 to 15%	0.63			
340:						
Arnold	30	Limitations				
		Slopes > 15%	1.00			
		Seepage in bottom layer	1.00			
		Permeability > 6"/hr in 24-60" (seepage and poor filter)	1.00			
		Depth to bedrock 40 - 72"	0.96			
San Andreas	20	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
Badlands	10	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
340:						
Unnamed calcareous soil	10	Slopes > 15%	1.00			
Cieneba, coarse sandy loam	5	Slopes > 15%	1.00			
Gaviota, sandy loam	5	Slopes > 15%	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
Shimmon, fine sandy loam	5	Slopes > 15%	1.00			
Unnamed soil moderately deep to soft shale	5	Slopes > 15%	1.00			
Urban land	5	Slopes > 15%	1.00			
350:						
Cieneba	75	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Badlands	5	Slopes > 15%	1.00			
Gaviota, sandy loam	5	Slopes > 15%	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
San Andreas, coarse sandy loam	5	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
350:						
Arnold, loamy sand	3	Slopes > 15%	1.00			
Unnamed calcareous soil	2	Slopes > 15%	1.00			
360:						
Chicote, silty clay loam	40	Limitations				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Ponded (any duration)	1.00			
		Rare flooding	0.40			
Chicote, silt loam	40	Limitations				
		Ponded (any duration)	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Seepage in bottom layer	1.00			
		Rare flooding	0.40			
Playas	4					
Polonio, clay loam	4					
Capay	3					
Unnamed silty clay loam soil	3					
Unnamed soil with dark brown surface layer	3					
Yeguas, loam	3					

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

361:

Chicote, silty clay loam	40	Limitations Permeability < .6"/hr in 24-60" (slow perc) 1.00 Poned (any duration) 1.00 Rare flooding 0.40		
Chicote, silt loam	40	Limitations Poned (any duration) 1.00 Permeability < .6"/hr in 24-60" (slow perc) 1.00 Seepage in bottom layer 1.00 Rare flooding 0.40		
Playas	4			
Polonio, clay loam	4			
Unnamed silty clay loam soil	4			
Unnamed soil with dark brown surface layer	4			
Yeguas, loam	4			

362:

Chicote, silty clay loam	40	Limitations Permeability < .6"/hr in 24-60" (slow perc) 1.00 Poned (any duration) 1.00 Rare flooding 0.40		
Chicote, silt loam	40	Limitations Poned (any duration) 1.00 Permeability < .6"/hr in 24-60" (slow perc) 1.00 Seepage in bottom layer 1.00 Rare flooding 0.40		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
362:					
Playas	4				
Polonio, clay loam	4				
Unnamed silty clay loam soil	4				
Unnamed soil with dark brown surface layer	4				
Yeguas, loam	4				
371:					
Semper	50	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
		Seepage in bottom layer	1.00		
Beam, sandy loam	8	Slopes > 15%	1.00		
Hillbrick, sandy loam	7	Slopes > 15%	1.00		
Kilmer, loam	7	Slopes > 15%	1.00		
Panoza, loam	7	Slopes > 15%	1.00		
Semper	7	Slopes > 15%	1.00		
Semper	7	Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
371:							
Unnamed soil greater than 40 inches deep	7						
		Slopes > 15%	1.00				
372:							
Semper	65	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
		Seepage in bottom layer	1.00				
Beam, sandy loam	5						
		Slopes > 15%	1.00				
Hillbrick, sandy loam	5						
		Slopes > 15%	1.00				
Kilmer, loam	5						
		Slopes > 15%	1.00				
Millsholm, loam	4						
		Slopes > 15%	1.00				
Panoza, loam	4						
		Slopes > 15%	1.00				
Semper, very fine sandy loam	4						
		Slopes > 15%	1.00				
Semper, very fine sandy loam	4						
		Slopes > 15%	1.00				
Unnamed greater than 40 in deep	4						
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
375:						
Semper	40	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Badlands	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Beam, sandy loam	5	Slopes > 15%	1.00			
Hillbrick, sandy loam	5	Slopes > 15%	1.00			
Kilmer, loam	5	Slopes > 15%	1.00			
Millsholm, loam	5	Slopes > 15%	1.00			
Panoza, loam	5	Slopes > 15%	1.00			
Semper, very fine sandy loam	5	Slopes > 15%	1.00			
Unnamed soil greater than 40 inches deep	5	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
380:							
Muranch	30	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Permeability ranges .6 - 2"/hr (slow perc)	0.50				
Xerorthents	25	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Seepage in bottom layer	1.00				
Rock outcrop	20	Limitations					
		Slopes > 15%	1.00				
Unnamed brown and reddish brown fine sandy loam soil	10						
		Slopes > 15%	1.00				
Aido, clay	3						
		Slopes > 15%	1.00				
Bellyspring, sandy loam	3						
		Slopes > 15%	1.00				
Hillbrick, loam	3						
		Slopes > 15%	1.00				
Kilmer, loam	2						
		Slopes > 15%	1.00				
Padres, sandy loam	2						
Semper, very fine sandy loam	1						
		Slopes > 15%	1.00				
Unnamed less than 20 in deep	1						
		Slopes > 15%	1.00				
388:							
Rock outcrop	50	Limitations					
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

388:

Gaviota	25	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00 Seepage in bottom layer 1.00	
Beam, fine sandy loam	5	Slopes > 15% 1.00	
Hillbrick, loam	5	Slopes > 15% 1.00	
Panoza, loam	5	Slopes > 15% 1.00	
San Timoteo, sandy loam	5	Slopes > 15% 1.00	
Unnamed soil with dark colored surface layer	5	Slopes > 15% 1.00	

391:

Rock outcrop	35	Limitations Slopes > 15% 1.00	
Lithic Torriorthents	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00 Seepage in bottom layer 1.00	
Lithic Torriorthents, sandy loam	10	Slopes > 15% 1.00	
Beam, sandy loam	5	Slopes > 15% 1.00	

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
391:						
Bellyspring, sandy loam	5	Slopes > 15%	1.00			
Gaviota, sandy loam	5	Slopes > 15%	1.00			
Kilmer, loam	5	Slopes > 15%	1.00			
Panoza, loam	5	Slopes > 15%	1.00			
401:						
Godde	40	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Xerorthents	20	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Rock outcrop	15	Limitations				
		Slopes > 15%	1.00			
Bellyspring, sandy loam	6	Slopes > 15%	1.00			
Beam, sandy loam	4	Slopes > 15%	1.00			
Gaviota, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
401:						
Godde, sandy loam	3	Slopes > 15%	1.00			
Godde, sandy loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
San Andreas, fine sandy loam	3	Slopes > 15%	1.00			
408:						
Gaviota	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
San Andreas	25	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
Cieneba, coarse sandy loam	20	Limitations				
		Slopes > 15%	1.00			
Shimmon, loam	10	Slopes > 15%	1.00			
Similar to yeguas but moderatley deep to soft bedrock	7	Slopes > 15%	1.00			
Gaviota, sandy loam	1	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
408:						
Rock outcrop	1	Slopes > 15%	1.00			
Similar to millsholm but moderately deep to soft bedrock	1	Slopes > 15%	1.00			
409:						
Gaviota	35	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Saltos	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Rock outcrop	15	Limitations				
		Slopes > 15%	1.00			
Beam, sandy loam	3	Slopes > 15%	1.00			
Bellyspring, sandy loam	3	Slopes > 15%	1.00			
Calleguas, loam	3	Slopes > 15%	1.00			
Hillbrick, loam	3	Slopes > 15%	1.00			
Kilmer, loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
409:						
Panoza, loam	3	Slopes > 15%	1.00			
Saltos, sandy clay loam	3	Slopes > 15%	1.00			
Akad, loam	2	Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
Gaviota, sandy loam	2	Slopes > 15%	1.00			
410:						
Gaviota	40	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Rock outcrop	30	Limitations				
		Slopes > 15%	1.00			
Beam, fine sandy loam	4	Slopes > 15%	1.00			
Bellyspring, sandy loam	4	Slopes > 15%	1.00			
Choice, silty clay	4	Slopes > 15%	1.00			
Gaviota, sandy loam	3	Slopes > 15%	1.00			
Hillbrick, loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
410:						
Nacimiento, clay loam	3	Slopes > 15%	1.00			
Panoza, loam	3	Slopes > 15%	1.00			
San Andreas, fine sandy loam	3	Slopes > 15%	1.00			
Unnamed soil with dark colored surface layer	3	Slopes > 15%	1.00			
411:						
Saltos	40	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Tajea	40	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
Beam, fine sandy loam	2	Slopes > 15%	1.00			
Hillbrick, loam	2	Slopes > 15%	1.00			
Kilmer, loam	2	Slopes > 15%	1.00			
Panoza, loam	2	Slopes > 15%	1.00			
Polonio, loam	2					

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
411:						
Rock outcrop	2	Slopes > 15%	1.00			
Saltos, sandy clay loam	2	Slopes > 15%	1.00			
San Andreas, fine sandy loam	2	Slopes > 15%	1.00			
Tajea, loam	2	Slopes 8 to 15%	0.63			
Yeguas, loam	2					
412:						
Tajea	45	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
Saltos	30	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
Beam, sandy loam	3	Slopes > 15%	1.00			
Calleguas, loam	3	Slopes > 15%	1.00			
Gaviota, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
412:						
Hillbrick, loam	3	Slopes > 15%	1.00			
Kilmer, loam	3	Slopes > 15%	1.00			
San Andreas, fine sandy loam	3	Slopes > 15%	1.00			
Saltos, loam	2	Slopes > 15%	1.00			
420:						
Bellyspring	30	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock 40 - 72"	0.52			
Saltos	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Rock outcrop	20	Limitations				
		Slopes > 15%	1.00			
Aramburu, very channery loam	3					
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
Bellyspring, sandy loam	3	Slopes > 15%	1.00			
Gaviota, sandy loam	3	Slopes > 15%	1.00			
Hillbrick, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
420:						
Kilmer, loam	3	Slopes > 15%	1.00			
Akad, loam	2	Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
Beam, fine sandy loam	2	Slopes > 15%	1.00			
Calleguas, loam	2	Slopes > 15%	1.00			
Saltos, loam	2	Slopes > 15%	1.00			
Saucito, sandy loam	2	Slopes > 15%	1.00			
430:						
Saucito	40	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Fragments (>3") 25 to 50%	0.04			
Akad	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Rock outcrop	20	Limitations				
		Slopes > 15%	1.00			
Bellyspring, sandy loam	3	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
430:						
Gaviota, sandy loam	3	Slopes > 15%	1.00			
Hillbrick, loam	3	Slopes > 15%	1.00			
Bellyspring, sandy loam	2	Slopes > 15%	1.00			
Kilmer, loam	2	Slopes > 15%	1.00			
Saltos, sandy clay loam	2	Slopes > 15%	1.00			
440:						
Bellyspring	35	Limitations				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			
		Slopes 8 to 15%	0.63			
Panoza	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes 8 to 15%	0.63			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Padres, sandy loam	11					
Beam, fine sandy loam	10	Slopes 8 to 15%	0.63			
Polonio, clay loam	10					
Muranch, loam	9	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

441:			
Bellyspring	35	Limitations Slopes > 15% 1.00 Permeability < .6"/hr in 24-60" (slow perc) 1.00 Depth to bedrock < 40" 1.00 Seepage in bottom layer 1.00	
Panoza	30	Limitations Slopes > 15% 1.00 Depth to bedrock < 40" 1.00 Permeability ranges .6 - 2"/hr (slow perc) 0.50	
Beam, fine sandy loam	10	Slopes > 15% 1.00	
Muranch, loam	6	Slopes > 15% 1.00	
Padres, sandy loam	5		
Badlands	4	Slopes > 15% 1.00	
Polonio, clay loam	4		
Rock outcrop	3	Slopes > 15% 1.00	
Semper, very fine sandy loam	3	Slopes > 15% 1.00	

442:			
Bellyspring	35	Limitations Slopes > 15% 1.00 Permeability < .6"/hr in 24-60" (slow perc) 1.00 Depth to bedrock < 40" 1.00 Seepage in bottom layer 1.00	

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
442:							
Panoza	30	Limitations					
		Slopes > 15%	1.00				
		Depth to bedrock < 40"	1.00				
		Permeability ranges .6 - 2"/hr (slow perc)	0.50				
Beam, fine sandy loam	10	Slopes > 15%	1.00				
Muranch, loam	6	Slopes > 15%	1.00				
Padres, sandy loam	5						
Badlands	4	Slopes > 15%	1.00				
Polonio, clay loam	4						
Rock outcrop	3	Slopes > 15%	1.00				
Semper, very fine sandy loam	3	Slopes > 15%	1.00				
443:							
Bellyspring	35	Limitations					
		Slopes > 15%	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Seepage in bottom layer	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
443:						
Beam	25	Limitations				
		Depth to bedrock < 40"	1.00			
		Slopes > 15%	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Seepage in bottom layer	1.00			
Panoza	25	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Permeability ranges .6 - 2"/hr (slow perc)	0.50			
Badlands	3					
		Slopes > 15%	1.00			
Muranch, loam	3					
		Slopes > 15%	1.00			
Padres, sandy loam	3					
Polonio, clay loam	2					
Rock outcrop	2					
		Slopes > 15%	1.00			
Semper, very fine sandy loam	2					
		Slopes > 15%	1.00			
445:						
Bellyspring	35	Limitations				
		Slopes > 15%	1.00			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Depth to bedrock < 40"	1.00			
		Seepage in bottom layer	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

445:							
Xerorthents	30	Limitations					
		Slopes > 15%				1.00	
		Depth to bedrock < 40"				1.00	
		Seepage in bottom layer				1.00	
Panoza	15	Limitations					
		Slopes > 15%				1.00	
		Depth to bedrock < 40"				1.00	
		Permeability ranges .6 - 2"/hr (slow perc)				0.50	
Beam, sandy loam	5						
		Slopes > 15%				1.00	
Hillbrick, loam	5						
		Slopes > 15%				1.00	
Muranch, loam	5						
		Slopes > 15%				1.00	
Wasioja, sandy loam	5						
450:							
Botella	75	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)				1.00	
		Seepage in bottom layer				1.00	
Capay, clay	5						
Pinspring, loam	5						
Yeguas, loam	5						
Capay, clay	4						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
450:						
Botella, sandy loam	3	Slopes 8 to 15%	0.63			
Wasioja, sandy loam	3					
460:						
Camatta	75	Limitations				
		Depth to pan < 40"	1.00			
		Slopes > 15%	1.00			
Nacimiento, clay loam	9	Slopes > 15%	1.00			
Balcom, loam	8	Slopes > 15%	1.00			
Calleguas, loam	8	Slopes > 15%	1.00			
470:						
Botella	85	Limitations				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00			
		Seepage in bottom layer	1.00			
Elder	5					
Soil that has a clay subsoil	5					
Soil that is deep to soft sandstone	2					
Metz, loamy sand	1					
San Andreas, fine sandy loam	1	Slopes 8 to 15%	0.63			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
470:							
Unnamed wet spots	1						
474:							
Elder	80	Limitations Seepage in bottom layer	1.00				
Metz, loamy sand	5						
San Emigdio, sandy loam	5						
Unnamed areas subject to flooding	5						
Xerofluvents, sand	5						
475:							
Elder	80	Limitations Seepage in bottom layer	1.00				
Metz, loamy sand	7						
San Emigdio, sandy loam	7						
Xerofluvents, sand	6						
480:							
Metz	70	Limitations Seepage in bottom layer Rare flooding	1.00 0.40				
Riverwash	8						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
480:							
San Emigdio, sandy loam	8						
Arbuckle, sandy loam	7						
Elder, sandy loam	7						
490:							
Wasioja	75	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Padres, sandy loam	9						
Polonio, clay loam	8						
Thomhill, loam	8						
491:							
Wasioja	85	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00				
Pinspring, loam	3						
Polonio, clay loam	3						
Thomhill, loam	3						
Wasioja, sandy loam	2						
Xerofluvents, cobbly loam sand	2						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
491: Yeguas, loam	2				
495: Wasioja	60	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Polonio	20	Limitations Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Yeguas, loam	10				
Beam, fine sandy loam	2	Slopes 8 to 15%	0.63		
Chicote, silty clay loam	1				
Hillbrick, sandy loam	1	Slopes 8 to 15%	0.63		
Padres, sandy loam	1				
Panoza, loam	1	Slopes 8 to 15%	0.63		
Polonio, clay loam	1				
Thomhill, loam	1				
Wasioja, sandy loam	1				
Xerofluvents, cobbly loamy sand	1				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
497:					
Wasioja	35	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Pinspring	30	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
Yeguas	15	Limitations			
		Permeability < .6"/hr in 24-60" (slow perc)	1.00		
		Seepage in bottom layer	1.00		
Polonio, clay loam	5				
Thomhill, loam	5				
Wasioja, sandy loam	5				
Xerofluvents, cobbly loam sand	5				
512:					
Shimmon	80	Limitations			
		Slopes > 15%	1.00		
		Depth to bedrock < 40"	1.00		
		Restricted permeability due to bedrock or hardpan	1.00		
Tajea, loam	10				
		Slopes > 15%	1.00		
Unnamed soil that is moderately deep to soft shale	5				
		Slopes > 15%	1.00		
Areas with deep gullies	1				
		Slopes > 15%	1.00		

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
512:						
Balcom, loam	1	Slopes > 15%	1.00			
Nacimiento, channery clay loam	1	Slopes > 15%	1.00			
Rock outcrop	1	Slopes > 15%	1.00			
Unnamed soil that is shallow to hard sandstone, gravelly clay loam	1	Slopes > 15%	1.00			
520:						
Santa Lucia	30	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Aramburu, very channery loam	20	Limitations				
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
		Slopes 8 to 15%	0.63			
Temblor, very channery loam	15	Limitations				
		Slopes > 15%	1.00			
Similar to reward but moderately deep to soft bedrock, channery loam	10	Slopes > 15%	1.00			
Similar to santa lucia soil	10	Slopes > 15%	1.00			
Ayar, clay	5	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
520:						
Reward, channery loam	5	Slopes > 15%	1.00			
Rock outcrop	5	Slopes > 15%	1.00			
521:						
Santa Lucia	80	Limitations				
		Slopes > 15%	1.00			
		Depth to bedrock < 40"	1.00			
		Restricted permeability due to bedrock or hardpan	1.00			
Muranch, channery clay loam	10	Slopes > 15%	1.00			
Nacimiento, clay loam	4	Slopes > 15%	1.00			
Ayar, clay	1	Slopes > 15%	1.00			
Botella, channery loam	1					
Reward, channery loam	1	Slopes > 15%	1.00			
Rock outcrop	1	Slopes > 15%	1.00			
Santa Lucia, channery clay loam	1	Slopes 8 to 15%	0.63			
Urban land	1	Slopes > 15%	1.00			

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

522:

Santa Lucia	55	Limitations Slopes > 15% 1.00 Depth to bedrock < 40" 1.00 Restricted permeability due to bedrock or hardpan 1.00	
Muranch, channery clay loam	10	Slopes > 15% 1.00	
Nacimiento, clay loam	10	Slopes > 15% 1.00	
Ayar, clay	5	Slopes > 15% 1.00	
Reward, channery loam	5	Slopes > 15% 1.00	
Urban land	5	Slopes > 15% 1.00	
Botella, channery loam	4		
Rock outcrop	4	Slopes > 15% 1.00	
Santa Lucia, channery clay loam	2	Slopes > 15% 1.00	

531:

Saltos	45	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Restricted permeability due to bedrock or hardpan 1.00	
--------	----	--	--

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
531:							
Millsholm	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Restricted permeability due to bedrock or hardpan	1.00				
Saltos, sandy clay loam	4	Slopes > 15%	1.00				
San Andreas, fine sandy loam	4	Slopes 8 to 15%	0.63				
Kilmer, loam	3	Slopes > 15%	1.00				
Panoza, loam	3	Slopes > 15%	1.00				
Rock outcrop	3	Slopes > 15%	1.00				
San Andreas, fine sandy loam	3	Slopes > 15%	1.00				
561:							
Chanac	85	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Slopes > 15%	1.00				
Camatta, loam	10	Slopes > 15%	1.00				
Polonio, clay loam	5						
562:							
Chanac	90	Limitations					
		Slopes > 15%	1.00				
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*				
		Rating class and limiting features	Value			
562:						
Camatta, loam	5	Slopes > 15%	1.00			
Polonio, clay loam	5					
900:						
Pits	100	Limitations				
		Flooding	1.00			
		Ponded (any duration)	1.00			
905:						
Xerofluvents	50	Limitations				
		Flooding	1.00			
		Saturation < 4' depth	1.00			
		Permeability > 6"/hr in 24-60" (seepage and poor filter)	1.00			
		Seepage in bottom layer	1.00			
Riverwash	30	Limitations				
		Flooding	1.00			
		Saturation < 4' depth	1.00			
		Seepage in bottom layer	1.00			
		Permeability > 6"/hr in 24-60" (seepage and poor filter)	1.00			
Metz, loamy sand	13					
Elder, sandy loam	7					
906:						
Xerofluvents	85	Limitations				
		Flooding	1.00			
		Ponded (any duration)	1.00			
		Saturation < 4' depth	1.00			
		Permeability ranges .6 - 2"/hr (slow perc)	0.75			
San emigido, sandy loam	8					

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
906: Riverwash	7						
908: Xerorthents	85	Limitations					
		Slopes > 15%	1.00				
		Seepage in bottom layer	1.00				
		Depth to bedrock 40 - 72"	0.99				
Aido, clay	3	Slopes > 15%	1.00				
Ayar, clay	3	Slopes > 15%	1.00				
Hillbrick, loam	3	Slopes > 15%	1.00				
Kilmer, loam	3	Slopes > 15%	1.00				
Rock outcrop	3	Slopes > 15%	1.00				
910: Playas	80	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Ponded (any duration)	1.00				
		Saturation < 4' depth	1.00				
		Rare flooding	0.40				
Playas	12	Ponded (any duration)	1.00				
		Saturation < 4' depth	1.00				
		Rare flooding	0.40				
Chicote, clay loam	8						

Septic Tanks

San Luis Obispo County, California, Carrizo Plain Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
911:							
Playas	85	Limitations					
		Permeability < .6"/hr in 24-60" (slow perc)	1.00				
		Ponded (any duration)	1.00				
		Saturation < 4' depth	1.00				
		Rare flooding	0.40				
Ponds	10						
Chicote, silty clay loam	5						
912:							
Water	100	Not rated					