

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

[The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The table shows only the top five limitations for any given soil. The soil may have additional limitations]

*This soil interpretation was designed as a "limitation" as opposed to a "potential" or "suitability". The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation.

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
100:							
Arbuckle	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
SAN YSIDRO LOAM	5						
SIMILAR TO ARBUCKLE	5						
CROPLEY CLAY	3						
HANFORD FINE SANDY LOAM	2						
101:							
Arbuckle	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
SAN YSIDRO LOAM	5						
SIMILAR TO ARBUCKLE	5						
CROPLEY CLAY	3						
HANFORD FINE SANDY LOAM	2						
102:							
Arbuckle	40	Limitations Ksat < .6"/hr in 24-80" (slow perc) Slopes 8 to 15%	1.00 0.63				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
102:					
Positas	30	Limitations Slopes 8 to 15%	0.63		
Greenfield fine sandy loam	10				
Similar to positas	10				
Cropley	4				
Hanford fine sandy loam	3				
Areas of 15 to 30 percent slope	1				
Areas of moderate to severe erosion	1				
Areas with cobbles on the surface	1				
103:					
Arbuckle	40	Limitations Slopes > 15% Ksat < .6"/hr in 24-80" (slow perc)	1.00 1.00		
Positas	30	Limitations Slopes > 15%	1.00		
GREENFIELD FINE SANDY LOAM	10				
SIMILAR TO POSITAS	10				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

103:
HANFORD FINE SANDY LOAM

5

AYAR SILTY CLAY

2

BALCOM LOAM

1

NACIMIENTO SILTY CLAY LOAM

1

SHIMMON LOAM

1

104:
Arbuckle

40

Limitations
Slopes > 15% 1.00
Ksat < .6"/hr in 24-80" (slow perc) 1.00

Positas

30

Limitations
Slopes > 15% 1.00

SHIMMON LOAM ON NORTH SLOPES

15

Not rated

SIMILAR TO POSITAS

8

AYAR SILTY CLAY

1

BADLAND

1

BALCOM LOAM

1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

104:

GREENFIELD FINE SANDY LOAM 1

LINNE SHALY CLAY LOAM 1

NACIMIENTO SILTY CLAY LOAM 1

SLOPES OF 50 TO 75 PERCENT 1

105:

Arbuckle 35 Limitations
 Slopes > 15% 1.00
 Ksat < .6"/hr in 24-80" 1.00
 (slow perc)

Positas 25 Limitations
 Slopes > 15% 1.00

SHIMMON LOAM 15 Not rated

BADLAND 10

SIMILAR TO POSITAS 10

BALCOM LOAM 2

GREENFIELD FINE SANDY LOAM 1

NACIMIENTO 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
105: SLOPES OF 70 TO 90 PERCENT	1						
106: Arbuckle	40	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
San Ysidro	20	No limitations					
GREENFIELD FINE SANDY LOAM	14						
SIMILAR TO SAN YSIDRO	10						
HANFORD FINE SANDY LOAM	5						
SIMIALR TO ARBUCKLE	5						
CROPLEY CLAY	2						
RINCON CLAY LOAM	2						
UNNAMED	1						
107: Arnold	75	Limitations Slopes > 15% Ksat > 6"/hr (seepage and poor filter) Depth to bedrock 40 - 72"	1.00 1.00 0.99				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

107:

SAN ANDREAS SANDY LOAM 10

SIMILAR TO ARNOLD 5

URBAN LAND 5

METZ LOAMY SAND 2

SAN EMIGDIO FINE SANDY LOAM 2

TUJUNGA FINE SAND 1

108:

Arnold	30	Limitations	
		Slopes > 15%	1.00
		Ksat > 6"/hr (seepage and poor filter)	1.00
		Depth to bedrock 40 - 72"	0.99

BADLAND 20 Not rated

San Andreas	20	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00

CALCAREOUS SOILS 15 Not rated

CIENEBA COARSE SANDY LOAM 2

DIBBLE CLAY LOAM 2

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
108:					
GAVIOTA SANDY LOAM	2				
LOMPICO LOAM	2				
ROCK OUTCROP	2				
URBAN LAND	2				
109:					
Ayar	30	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Slopes 8 to 15% 0.63 Depth to bedrock 40 - 72" 0.22			
Diablo	25	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Depth to bedrock 40 - 72" 0.78 Slopes 8 to 15% 0.63			
SIMILAR TO AYAR SITLY CLAY	20	Not rated			
CROPLEY CLAY	10				
ZAKME CLAY	9				
BALCOM LOAM	1				
DEEP GULLIES	1				
GR/CB SURFACES	1				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
109:							
LAND SLIPS	1						
LOS OSOS CLAY LOAM	1						
NACIMIENTO SITLY CLAY LOAM	1						
110:							
Ayar	30	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				
		Depth to bedrock 40 - 72"	0.22				
Diablo	25	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				
		Depth to bedrock 40 - 72"	0.78				
SIMILAR TO AYAR SILTY CLAY	20	Not rated					
CROPLEY CLAY	5						
SIMIALR TO DIABLO SOIL	5						
SIMILAR TO AYAR SILT LOAM	5						
ZAKME CLAY	5						
BALCOM LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
110:							
DEEP GULLIES	1						
LAND SLIPS	1						
LOS OSOS CLAY LOAM	1						
NACIMIENTO SILTY CLAY LOAM	1						
111:							
Ayar	30	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Slopes > 15% 1.00 Depth to bedrock 40 - 72" 0.22					
Diablo	25	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Slopes > 15% 1.00 Depth to bedrock 40 - 72" 0.78					
SIMILAR TO AYAR SILTY CLAY	20	Not rated					
CROPLEY CLAY	5						
SIMIALR TO DIABLO SOIL	5						
SIMILAR TO AYAR SILT LOAM	5						
ZAKME CLAY	5						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
111:							
BALCOM LOAM	1						
DEEP GULLIES	1						
LAND SLIPS	1						
LOS OSOS CLAY LOAM	1						
NACIMIENTO SILTY CLAY LOAM	1						
112:							
BADLAND	65	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
ARNOLD LOAMY SAND	10						
CALLEGUAS SHALY LOAM	10						
BALCOM LOAM	5						
SAN ANDREAS SANDY LOAMD	5						
ARBUCKLE FINE SANDY LOAM	3						
POSITAS COARSE SANDY LOAM	2						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
113:							
Balcom	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat from .6 - 2"/hr (slow perc)	0.50				
Calleguas	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
BADLAND	10						
NACIMIENTO SILTY CLAY LOAM	10						
SIMILAR TO THE CALLEGUAS SOIL	10						
DIBBLE CLAY LOAM	5						
CALODO CLAY LOAM	1						
LINNE SHALY CLAY LOAM	1						
LOS OSOS CLAY LOAM	1						
ROCK OUTCROP	1						
SLOPES OF 30 TO 50 PERCENT	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

114:

Balcom	45	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat from .6 - 2"/hr (slow perc) 0.50		
Nacimiento	20	Limitations Depth to bedrock < 40" 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00 Slopes > 15% 1.00		
CALLEGUAS SHALY LOAM	10			
LINNE SHALY CLAY LOAM	10			
CAMATTA LOAM	4			
AYAR SILTY CLAY	1			
CALODO CLAY LOAM	1			
METZ LOAMY SAND	1			
MOCHO CLAY LOAM	1			
POLONIO CLAY LOAM	1			
SLOPES OF 30 TO 40 PERCENT	1			

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

115:

Balcom	45	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat from .6 - 2"/hr (slow perc) 0.50		
Nacimiento	20	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00		
CALLEGUAS SHALY LOAM	10			
LINNE SHALY CLAY LOAM	10			
CAMATTA LOAM	4			
AYAR SILTY CLAY	1			
CALODO CLAY LOAM	1			
METZ LOAMY SAND	1			
MOCHO CLAY LOAM	1			
POLONIO CLAY LOAM	1			
SLOPES OF 30 TO 40 PERCENT	1			

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

116:

Botella	85	Limitations	
		Ksat < .6"/hr in 24-80" (slow perc)	1.00

CONCEPCION SANDY LOAM 5

ELDER LOAM 5

ARUJO SANDY LOAM 2

METZ LOAMY SAND 1

SAN ANDREAS SANDY LOAM 1

UNNAMED 1

117:

Calleguas	85	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00
		Ksat < 0.01 inches/hr	1.00

BALCOM LOAM 5

NACIMIENTO SILTY CLAY LOAM 5

CROPLEY CLAY 2

MOCHO CLAY LOAM 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

117:
SAN EMIGDIO FINE SANDY LOAM

1

SLOPES OF 5 TO 15 PERCENT

118:
Camarillo

65

Limitations	
Flooding	1.00
Saturation < 4' depth	1.00
Ksat from .6 - 2"/hr (slow perc)	0.50

CAMARILLO, SALINE-ALKALI

10

SIMILAR TO CAMARILLO

10

CAMARILLO, LOAMY SAND OVERWASH

5

UNNAMED, BURIED SOIL

5

METZ LOAMY SAND

2

TUJUNGA FINE SAND

2

UNNAMED

1

119:
Camarillo

70

Limitations	
Saturation from 4 to 6' depth	0.84
Ksat from .6 - 2"/hr (slow perc)	0.50
Rare flooding	0.40

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
119:					
CAPAY SILTY CLAY	10				
SIMILAR TO CAMARILLO	10				
UNNAMED, BURIED SOIL	4				
UNNAMED	1				
120:					
Camatta	80	Limitations			
		Depth to pan < 40"	1.00		
		Slopes 8 to 15%	0.16		
SALINE BARREN SPOTS	10				
CHANAC LOAM	5				
POLONIO	5				
121:					
Camatta	80	Limitations			
		Depth to pan < 40"	1.00		
		Slopes > 15%	1.00		
SALINE BARREN SPOTS	10				
CHANAC LOAM	5				
POLONIO	5				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
122:							
Capay	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Rare flooding	0.40				
CAMARILLO SILTY CLAY LOAM	3						
CLEAR LAKE CLAY	3						
MOCHO CLAY LOAM	3						
SALINE-ALKALI AFFECTED	3						
SIMILAR TO CAPAY SOIL	3						
123:							
Capay	75	Limitations					
		Flooding	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
SIMILAR TO CAPAY SOIL	15	Not rated					
MOCHO CLAY LOAM	5						
CAMARILLO SILTY CLAY LOAM	4						
SALINE-ALKALI AFFECTED	1						
124:							
Chanac	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
124:							
CAMATTA LOAM	10						
POLONIO CLAY LOAM	5						
125:							
Chanac	85	Limitations					
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
CAMATTA LOAM	10						
POLONIO CLAY LOAM	5						
126:							
Cieneba	75	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
ANDREGG COARSE SANDY LOAM	5						
BADLAND	5						
GAVIOTA SANDY LOAM	5						
ROCK OUTCROP	5						
ARNOLD LOAMY SAND	3						
SIMILAR TO CIENEBA	2						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

127:

Cieneba	35	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00		
Andregg	25	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00		
VISTA COARSE SANDY LOAM	15	Not rated		
SESAME SANDY LOAM	10			
SHIMMON LOAM	5			
HANFORD GRAVELLY SANDY LOAM	2			
METZ LOAMY SAND	2			
TUJUNGA FINE SAND	1			

128:

Cieneba	35	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00		
Vista	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00		

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

128:							
SESAME SANDY LOAM	15	Not rated					
ANDREGG COARSE SANDY LOAM	5						
HANFORD GRAVELLY SANDY LOAM	2						
POSITAS COARSE SANDY LOAM	2						
METZ LOAMY SAND	1						
129:							
Clear Lake	75	Limitations					
		Flooding	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Saturation < 4' depth	1.00				
SIMILAR TO CLEAR LAKE	10						
CAMARILLO SILTY CLAY LOAM	5						
CAPAY SILTY CLAY	5						
CLEAR LAKE, SALINE-ALKALI	5						
130:							
Clear Lake	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Rare flooding	0.40				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
130:							
CROPLEY CLAY	3						
MOCHO CLAY	3						
SIMILAR TO CLEAR LAKE	3						
SORRENTO CLAY LOAM	3						
STILL CLAY LOAM	3						
131:							
Concepcion	85	No limitations					
BOTELLA SANDY LOAM	10						
ARNOLD LOAMY SAND	2						
ELDER LOAM	1						
LINNE SHALY CLAY LOAM	1						
SAND ANDREAS SANDY LOAM	1						
132:							
Cropley	75	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
CAPAY CLAY	15	Not rated					

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

132:							
CLEAR LAKE	5						
MOCHO CLAY LOAM	2						
RINCON CLAY LOAM	1						
SLOPES OF 2 TO 5 PERCENT	1						
STILL CLAY LOAM	1						
133:							
Cropley	85	Limitations					
		Ksat < .6"/hr in 24-80"	1.00				
		(slow perc)					
Capay clay	10						
Gravelly and cobbly surfaces	1						
Mocho clay	1						
Rincon clay loam	1						
Slopes of 9 to 15 percent	1						
Still clay loam	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

134:

Dibble	80	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Depth to bedrock < 40" 1.00 Slopes 8 to 15% 0.63	
--------	----	--	--

RYER CLAY LOAM 14

ARBUCKLE FINE SANDY LOAM 1

DEEP GULLIES 1

GAVIOTA SANDY LOAM 1

MILLSHOLM CLAY LOAM 1

ROCK OUTCROP 1

XEROFLUVENT 1

135:

Dibble	70	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Depth to bedrock < 40" 1.00 Slopes > 15% 1.00	
--------	----	---	--

MILLSHOLM CLAY LOAM 10

UNNAMED 10

GAVIOTA SANDY LOAM 5

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
135:					
DEEP GULLIES	1				
GILROY GRAVELLY LOAM	1				
ROCK OUTCROP	1				
RYER CLAY LOAM	1				
SAN ANDREAS SANDY LOAM	1				
136:					
Dibble	75	Limitations			
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
MILLSHOLM CLAY LOAM	10				
UNNAMED	9				
BALCOM LOAM	1				
GAVIOTA SANDY LOAM	1				
GILROY GRAVELLY LOAM	1				
NACIMIENTO SILTY CLAY LOAM	1				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
136:							
ROCK OUTCROP	1						
SAN ANDREAS SANDY LOAM	1						
137:							
Dibble	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
MILLSHOLM CLAY LOAM	5						
SAN ANDREAS SANDY LOAM	5						
BALCOM LOAM	2						
GAVIOTA SANY LOAM	1						
NACIMIENTO SILTY CLAY LOAM	1						
ROCK OUTCROP	1						
138:							
Elder	85	Limitations					
		Ksat from .6 - 2"/hr (slow perc)	0.50				
PICO FINE SANDY LOAM	9						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
138:							
HANFORD FINE SANDY LOAM	1						
METZ LOAMY SAND	1						
MOCHO CLAY LOAM	1						
SAN EMIGDIO FINE SANDY LOAM	1						
TUJUNGA FINE SAND	1						
UNNAMED	1						
STILL CLAY LOAM							
139:							
Elder	85	Limitations Ksat from .6 - 2"/hr (slow perc)	0.50				
PICO FINE SANDY LOAM	8						
HANFORD FINE SANDY LOAM	1						
METZ LOAMY SAND	1						
MOCHO CLAY LOAM	1						
SAN EMIGDIO FINE SANDY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
139:							
STILL CLAY LOAM	1						
TUJUNGA FINE SAND	1						
UNNAMED	1						
140:							
Elder	60	Limitations					
		Flooding		1.00			
		Ksat from .6 - 2"/hr (slow perc)		0.50			
METZ LOAMY SAND	15	Not rated					
SIMILAR TO ELDER, OVERWASH	10						
PICO FINE SANDY LOAM	5						
STILL CLAY LOAM	5						
HANFORD FINE SANDY LOAM	2						
MOCHO CLAY LOAM	1						
SAN EMIGDIO FINE SANDY LOAM	1						
TUJUNGA FINE SAND	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
141:							
Gaviota	40	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
ROCK OUTCROP	20	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
CIENEBA COARSE SANDY LOAM	15	Not rated					
SAN ANDREAS SANDY LOAM	10						
DIBBLE CLAY LOAM	5						
MCMULLIN GRAVELLY LOAM	2						
LOMPICO LOAM	1						
SHIMMON LOAM	1						
SLOPES OF 15 TO 30 PERCENT	1						
142:							
Gaviota	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

142:

San Andreas	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
CIENEBA COARSE SANDY LOAM	20	Not rated					
SHIMMON LOAM	10						
DIBBLE LOAM	2						
ROCK OUTCROP	1						
SLOPES OF 30 TO 50 PERCENT	1						
VISTA COARSE SANDY LOAM	1						

143:

Gaviota	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
San Andreas	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
DIBBLE CLAY LOAM	10						
ROCK OUTCROP	10						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
143:							
SHIMMON LOAM	10						
ARNOLD LOAMY SAND	4						
CIENEBA COARSE SANDY LOAM	3						
VISTA COARSE SANDY LOAM	3						
144:							
Gazos	80	Limitations					
		Depth to bedrock < 40"	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				
LINNE SHALY CLAY LOAM	5						
SAN ANDREAS SANDY LOAM	5						
SIMILAR TO GAZOS SOIL	5						
LOCKWOOD SHALY LOAM	2						
LODO GRAVELLY CLAY LOAM	1						
ROCK OUTCROP	1						
SANTA LUCIA SHALY CLAY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

145:

Gazos	80	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00	
-------	----	--	--

LINNE SHALY CLAY LOAM 5

SAN ANDREAS SANDY LOAM 5

SIMILAR TO GAZOS SOIL 5

LOCKWOOD SHALY LOAM 2

LODO GRAVELLY CLAY LOAM 1

ROCK OUTCROP 1

SANTA LUCIA SHALY CLAY LOAM 1

146:

Gilroy	50	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00	
--------	----	--	--

ROCK OUTCROP	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00	
--------------	----	--	--

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

146:

DIBBLE CLAY LOAM 5

HENNEKE VERY COBBLY CLAY LOAM 5

LODO GRAVELLY CLAY LOAM 2

MILLSHOLM CLAY LOAM 2

SLOPES OF 50 TO 75 PERCENT 1

147:

Hanford 40 No limitations

Greenfield 30 No limitations

Arbuckle fine sandy loam 15 Not rated

San Ysidro loam 10

Cropley clay 1

Metz loamy sand 1

Pico fine sandy loam 1

Rincon clay loam 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
147:							
Tujunga fine sand	1						
148:							
Hanford	40	No limitations					
Greenfield	30	No limitations					
Arbuckle fine sandy loam	15	Not rated					
San Ysidro loam	10						
Cropley clay	1						
Metz loamy sand	1						
Pico fine sandy loam	1						
Rincon clay loam	1						
Tujunga fine sand	1						
149:							
Hanford	40	No limitations					
Greenfield	30	No limitations					
ARBUCKLE FINE SANDY LOAM	15	Not rated					

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

149:

SAN YSIDRO LOAM 10

CROPLEY CLAY 1

METZ LOAMY SAND 1

PICO FINE SANDY LOAM 1

RINCON CLAY LOAM 1

TUJUNGA FINE SAND 1

150:

Hanford 40 No limitations

Greenfield 30 No limitations

ARBUCKLE FINE SANDY LOAM 15 Not rated

SAN YSIDRO LOAM 9

CROPLEY CLAY 1

LOCKWOOD SHALY LOAM 1

METZ LOAMY SAND 1

PICO FINE SANDY LOAM 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
150:							
RINCON CLAY LOAM	1						
TUJUNGA FINE SAND	1						
151:							
Henneke	60	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
		Fragments (>3") >50%	1.00				
ROCK OUTCROP	20	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
SIMILAR TO HENNEKE SOIL	10						
GAVIOTA SANDY LOAM	2						
GILROY GRAVELLY LOAM	2						
LOMPICO LOAM	2						
MCMULLIN GRAVELLY LOAM	2						
MILLSHOLM CLAY LOAM	1						
SHIMMON LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
152:					
Linne	30	Limitations			
		Depth to bedrock < 40"	1.00		
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
		Slopes > 15%	1.00		
Calodo	25	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Ksat < 0.01 inches/hr	1.00		
NACIMIENTO SILTY CLAY LOAM	15	Not rated			
LOS OSOS CLAY LOAM	10				
SIMILAR TO LINNE	5				
SIMILAR TO CALODO	4				
AYAR SILTY CLAY	1				
BALCOM LOAM	1				
CROPLEY CLAY	1				
DIABLO CLAY	1				
LOCKWOOD SHALY LOAM	1				
ROCK OUTCROP	1				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
153:							
Linne	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
Calodo	25	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
NACIMIENTO SILTY CLAY LOAM	15	Not rated					
LOS OSOS CLAY LOAM	10						
SIMILAR TO LINNE	5						
ZAKME CLAY	5						
SIMILAR TO CALODO	4						
AYAR SILTY CLAY	1						
BALCOM LOAM	1						
CROPLEY CLAY	1						
DIABLO CLAY	1						
LOCKWOOD SHALY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
153: ROCK OUTCROP	1						
154: Linne	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00					
Calodo	25	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00					
SIMILAR TO LINNE SOIL	15	Not rated					
ZAKME CLAY	15	Not rated					
SIMILAR TO CALODO SOIL	8						
AYAR SILTY CLAY	1						
BALCOM LOAM	1						
DIABLO CLAY	1						
LOS OSOS CLAY LOAM	1						
ROCK OUTCROP	1						
SHIMMON LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
154:							
SLOPES OF 30 TO 50 PERCENT	1						
155:							
Linne	40	Limitations					
		Depth to bedrock < 40"	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes 8 to 15%	0.63				
Diablo	30	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock 40 - 72"	0.78				
		Slopes 8 to 15%	0.63				
NACIMIENTO SILTY CLAY LOAM	15	Not rated					
LOS OSOS CLAY LOAM	10						
AYAR SILTY CLAY	2						
CROPLEY CLAY	2						
LOCKWOOD SHALY LOAM	1						
156:							
Linne	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

156:

Zakme	25	Limitations	
		Ksat < .6"/hr in 24-80" (slow perc)	1.00
		Slopes > 15%	1.00
		Depth to bedrock 40 - 72"	0.52

CALODO CLAY LOAM	15	Not rated	
------------------	----	-----------	--

SIMILAR TO LINNE SOIL	5		
-----------------------	---	--	--

DIABLO CLAY	2		
-------------	---	--	--

LOS OSOS CLAY LOAM	2		
--------------------	---	--	--

SLOPES OF MORE THAN 50 PERCENT	1		
--------------------------------	---	--	--

STILL CLAY LOAM	1		
-----------------	---	--	--

157:

Lockwood	85	Limitations	
		Ksat < .6"/hr in 24-80" (slow perc)	1.00

SIMILAR TO LOCKWOOD SOIL	10		
--------------------------	----	--	--

ELDER LOAM	3		
------------	---	--	--

STILL GRAVELLY LOAM	2		
---------------------	---	--	--

158:

Lockwood	85	Limitations	
		Ksat < .6"/hr in 24-80" (slow perc)	1.00

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

158:							
SIMILAR TO LOCKWOOD SOIL	10						
ELDER LOAM	2						
AREAS WITH COBBLES ON THE SURFACE	1						
STILL GRAVELLY LOAM	1						
UNNAMED	1						
159:							
Lockwood	35	Limitations		Ksat < .6"/hr in 24-80"	1.00	(slow perc)	
Concepcion	25	No limitations					
SIMILAR TO CONCEPCION SOIL	15	Not rated					
CROPLEY CLAY	10						
STILL GRAVELLY LOAM	10						
BOTELLA SANDY LOAM	5						
160:							
Lockwood	40	Limitations		Ksat < .6"/hr in 24-80"	1.00	(slow perc)	
				Slopes 8 to 15%	0.63		

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

160:

Concepcion	30	Limitations Slopes 8 to 15%	0.63
------------	----	--------------------------------	------

SIMILAR TO CONCEPCION	15	Not rated	
-----------------------	----	-----------	--

BOTELLA SANDY LOAM	5		
--------------------	---	--	--

RINCON CLAY LOAM	5		
------------------	---	--	--

STILL GRAVELLY LOAM	5		
---------------------	---	--	--

161:

Lompico	75	Limitations Depth to bedrock < 40" Slopes > 15% Ksat from .6 - 2"/hr (slow perc)	1.00 1.00 0.50
---------	----	---	----------------------

MCMULLEN GRAVELLY LOAM	10		
------------------------	----	--	--

SIMILAR TO LOMPICO	10		
--------------------	----	--	--

LINNE SHALY CLAY LOAM	2		
-----------------------	---	--	--

NACIMIENTO SILTY CLAY LOAM	2		
----------------------------	---	--	--

ROCK OUTCROP	1		
--------------	---	--	--

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

162:							
Lompico	30	Limitations					
		Depth to bedrock < 40"		1.00			
		Slopes > 15%		1.00			
		Ksat from .6 - 2"/hr (slow perc)		0.50			
McMullin	20	Limitations					
		Depth to bedrock < 40"		1.00			
		Slopes > 15%		1.00			
		Ksat < 0.01 inches/hr		1.00			
ROCK OUTCROP	10						
SIMILAR TO LOMPICO SOIL	10						
LINNE SHALY CLAY LOAM	1						
LODO GRAVELLY CLAY LOAM	1						
SHIMMON LOAM	1						
SLOPES OF 15 TO 50 PERCENT	1						
ZAKME CLAY	1						

163:							
Los Osos	40	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)		1.00			
		Depth to bedrock < 40"		1.00			
		Slopes > 15%		1.00			

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

163:
 Lodo 30 Limitations
 Depth to bedrock < 40" 1.00
 Slopes > 15% 1.00
 Ksat < 0.01 inches/hr 1.00

DIBBLE CLAY LOAM 10

ROCK OUTCROP 10

GAVIOTA SANDY LOAM 2

GILROY GRAVELLY LOAM 2

HENNEKE VERY COBBLY CLAY LOAM 2

MCMULLEN GRAVELLY LOAM 2

LOMPICO LOAM 1

SLOPES OF 30 TO 50 PERCENT 1

164:
 Los Osos 40 Limitations
 Ksat < .6"/hr in 24-80" (slow perc) 1.00
 Depth to bedrock < 40" 1.00
 Slopes > 15% 1.00

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

164:

ROCK OUTCROP	15	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00	
--------------	----	--	--

LODO GRAVELLY CLAY LOAM	9	
-------------------------	---	--

DIBBLE CLAY LOAM	5	
------------------	---	--

MILLSHOLM CLAY LOAM	5	
---------------------	---	--

MONTARA CLAY LOAM	5	
-------------------	---	--

SLOPES OF 9 TO 30 PERCENT	1	
---------------------------	---	--

165:

McMullin	45	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00	
----------	----	--	--

ROCK OUTCROP	20	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00	
--------------	----	--	--

LOMPICO LOAM	10	
--------------	----	--

SHIMMON LOAM	10	
--------------	----	--

HENNEKE VERY COBBLEY CLAY LOAM	5	
--------------------------------	---	--

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
165:							
GAVIOTA SANDY LOAM	1						
GILROY GRAVELLY LOAM	1						
MILLSHOLM CLAY LOAM	1						
MONTARA CLAY LOAM	1						
SLOPES OF 30 TO 50 PERCENT	1						
166:							
Metz	80	Limitations					
		Rare flooding	0.40				
Hanford fine sandy loam	5						
San Emigdio fine sandy loam	5						
Tujunga fine sand	5						
Elder loam	2						
Pico fine sandy loam	1						
Slopes of 5 to 9 percent	1						
Xerofluvents	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
167:							
Metz	35	Limitations Flooding	1.00				
Tujunga	30	Limitations Flooding Ksat > 6"/hr (seepage and poor filter)	1.00 1.00				
Xerofluvents	20	Not rated					
Elder loam	2						
Pico fine sandy loam	1						
San Emigdio fine sandy loam	1						
Slopes of 5 to 9 percent	1						
168:							
Millsholm	35	Limitations Depth to bedrock < 40" Slopes > 15% Ksat < 0.01 inches/hr	1.00 1.00 1.00				
Ayar	30	Limitations Ksat < .6"/hr in 24-80" (slow perc) Slopes > 15% Depth to bedrock 40 - 72"	1.00 1.00 0.22				
SIMILAR TO AYAR SOIL	15	Not rated					
CALLEGUAS SHALY LOAM	10						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
168:							
ROCK OUTCROP	5						
BALCOM LOAM	2						
CALODO CLAY LOAM	1						
NACIMIENTO SILTY CLAY LOAM	1						
SLOPES OF 30 TO 50 PERCENT	1						
169:							
Millsholm	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
Dibble	20	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
ROCK OUTCROP	15	Not rated					
LOMPICO LOAM	10						
LODO GRAVELLY CLAY LOAM	5						
MCMULLEN GRAVELLY LOAM	5						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

169:							
SHIMMON LOAM	5						
SIMILAR TO MILLSHOLM SOIL	5						
BALCOM LOAM	2						
NACIMIENTO SILTY CLAY LOAM	2						
SLOPES OF 50 TO 75 PERCENT	1						
170:							
Millsholm	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
Dibble	20	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
ROCK OUTCROP	15	Not rated					
LOMPICO LOAM	10						
LODO GRAVELLY CLAY LOAM	5						
MCMULLEN GRAVELLY LOAM	5						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
170:							
SHIMMON LOAM	5						
SIMILAR TO MILLSHOLM SOIL	5						
BALCOM LOAM	3						
NACIMIENTO SILTY CLAY LOAM	2						
171:							
Millsholm	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00					
Montara	25	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00					
ROCK OUTCROP	15	Not rated					
CALLEGUAS SHALY LOAM	14						
AYAR SILTY CLAY	1						
BALCOM LOAM	1						
CROPLEY CLAY	1						
MOCHO CLAY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
171:							
NACIMIENTO SILTY CLAY LOAM	1						
SLOPES OF 30 TO 50 PERCENT	1						
172:							
Millsholm	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
ROCK OUTCROP	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				
DIBBLE CLAY LOAM	10						
LODO GRAVELLY CLAY LOAM	10						
SHIMMON LOAM	10						
MONTARA CLAY LOAM	4						
SLOPES OF 30 TO 50 PERCENT	1						
173:							
Mocho	75	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
Still clay loam	10						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

173:							
Unnamed	10						
Sorrento clay loam	3						
Tujunga fine sand	2						
174:							
Mocho	80	Limitations					
		Ksat < .6"/hr in 24-80"	(slow perc)	1.00			
UNNAMED	10						
STILL CLAY LOAM	5						
CROPLEY CLAY	2						
SAN EMIGDIO FINE SANDY LOAM	2						
TUJUNGA FINE SAND	1						
175:							
Nacimiento	70	Limitations					
		Depth to bedrock < 40"		1.00			
		Ksat < .6"/hr in 24-80"	(slow perc)	1.00			
		Slopes > 15%		1.00			
LINNE SHALY CLAY LOAM	15	Not rated					
DIABLO CLAY	5						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

175:							
LOS OSOS CLAY LOAM	5						
CALODO CLAY LOAM	1						
CROPLEY CLAY	1						
MOCHO CLAY LOAM	1						
RINCON CLAY LOAM	1						
SORRENTO CLAY LOAM	1						
176:							
Nacimiento	65	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
LINNE SHALY CLAY LOAM	15	Not rated					
BALCOM LOAM	5						
CALODO CLAY LOAM	5						
LOS OSOS CLAY LOAM	5						
CROPLEY CLAY	1						
MOCHO CLAY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
176:							
RINCON CLAY LOAM	1						
SEVERELY ERODED AREAS	1						
SORRENTO CLAY LOAM	1						
177:							
Nacimiento	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				
Ayar	30	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes > 15%	1.00				
		Depth to bedrock 40 - 72"	0.22				
LINNE SHALY CLAY LOAM	15	Not rated					
DIABLO CLAY	10						
BALCOM LOAM	4						
AREAS WITH DEEP GULLIES	1						
CALODO CLAY LOAM	1						
DIBBLE CLAY LOAM	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

177:

POSITAS COARSE SANDY
LOAM

1

ROCK OUTCROP

1

SHIMMON LOAM

1

178:

Nacimiento

35

Limitations

Depth to bedrock < 40" 1.00

Slopes > 15% 1.00

Ksat < .6"/hr in 24-80"
(slow perc) 1.00

Ayar

30

Limitations

Ksat < .6"/hr in 24-80"
(slow perc) 1.00

Slopes > 15% 1.00

Depth to bedrock 40 -
72" 0.22

LINNE SHALY CLAY LOAM

15

Not rated

DIABLO CLAY

10

BALCOM LOAM

4

AREAS WITH DEEP
GULLIES

1

CALODO CLAY LOAM

1

DIBBLE CLAY LOAM

1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		
178:					
POSITAS COARSE SANDY LOAM	1				
ROCK OUTCROP	1				
SHIMMON LOAM	1				
179:					
Nacimiento	30	Limitations			
		Depth to bedrock < 40"	1.00		
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
		Slopes > 15%	1.00		
Los Osos	20	Limitations			
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
BALCOM LOAM	10				
POSITAS COARSE SANDY LOAM	10				
SIMILAR TO LOS OSOS SOIL	10				
AYAR SILTY CLAY	5				
DIABLO CLAY	5				
SHIMMON LOAM	5				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

179:							
ARBUCKLE FINE SANDY LOAM	1						
GR/CB SURFACES	1						
GREENFIELD FINE SANDY LOAM	1						
RINCON CLAY LOAM	1						
SLOPES OF 30 TO 50 PERCENT	1						
180:							
Nacimient	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
Los Osos	20	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
SHIMMON LOAM	10						
SIMILAR TO LOS OSOS SOIL	10						
AYAR SILTY CLAY	5						
BALCOM LOAM	5						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

180:							
LINNE SHALY CLAY LOAM	5						
181:							
Nacimiento	35	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
Los Osos	20	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
LINNE SHALY CLAY LOAM	15	Not rated					
BALCOM LOAM	5						
SIMILAR TO NACIMIENTO SOIL	5						
SIMILAR TO LOS OSOS SOIL	4						
SLOPES OF 30 TO 50 PERCENT	1						
182:							
Oceano	50	Limitations					
		Ksat > 6"/hr (seepage and poor filter)	1.00				
Metz loamy sand	15	Not rated					

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

182:							
Arnold loamy sand	10						
Botella sandy loam	10						
Similar to oceano soil	10						
San Andreas sandy loam	2						
San Emigdio fine sandy loam	2						
Slopes of 9 to 15 percent slopes	1						
183:							
Pico	75	No limitations					
ELDER LOAM	15	Not rated					
GR-S OR GRV-SL OVERWASH	5						
CROPLEY CLAY	3						
TUJUNGA LOAMY SAND	2						
184:							
Pico	75	No limitations					
ELDER LOAM	15	Not rated					

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
184:							
GR-S OR GRV-SL OVERWASH	5						
CROPLEY CLAY	3						
TUJUNGA LOAMY SAND	2						
185:							
PITS	100	No limitations					
186:							
Polonio	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
SIMILAR TO POLONIO SOIL	10						
187:							
Rincon	80	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
SIMILAR TO RINCON SOIL	10						
SAN YSIDRO LOAM	5						
CROPLEY CLAY	3						
LOCKWOOD SHALY LOAM	2						
188:							
Rincon	80	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

188:							
Similar to rincon soil	10						
Arbuckle fine sandy loam	5						
Cropley clay	2						
Lockwood shaly loam	2						
San Ysidro loam	1						
189:							
Rincon	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Slopes 8 to 15%	0.63				
LOCKWOOD SHALY LOAM	5						
LOS OSOS LOAM	5						
AYAR SILTY CLAY	3						
CROPLEY CLAY	2						
190:							
ROCK OUTCROP	60	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

190:

Gaviota	20	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
		Ksat < 0.01 inches/hr	1.00				

CIENEBA COARSE SANDY LOAM 10

DIBBLE CLAY LOAM 2

LOMPICO LOAM 2

MCMULLEN GRAVELLY LOAM 2

SAN ANDREAS SANDY LOAM 2

SHIMMON LOAM 2

191:

Ryer	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				

POSITAS COARSE SANDY LOAM 10

AREAS WITH DEEP GULLIES 1

DIBBLE CLAY LOAM 1

GAVIOTA SANDY LOAM 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
191:							
RINCON CLAY LOAM	1						
ROCK OUTCROP	1						
192:							
San Andreas	80	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes > 15%	1.00				
ARNOLD LOAMY SAND	5						
SHIMMON LOAM	5						
SIMILAR TO SAN ANDREAS SOIL	5						
CIENEBA COARSE SANDY LOAM	3						
GAVIOTA SANDY LOAM	2						
193:							
San Andreas	30	Limitations					
		Depth to bedrock < 40"	1.00				
		Slopes 8 to 15%	0.63				
Arujo	25	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)	1.00				
		Depth to bedrock 40 - 72"	0.89				
		Slopes 8 to 15%	0.63				
CONCEPCION SANDY LOAM	10						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

193:

SHIMMON LOAM	10	
URBAN LAND	10	
SIMILAR TO SAN ANDREAS SOIL	5	
ARNOLD LOAMY SAND	1	
BOTELLA SANDY LOAM	1	
ELDER LOAM	1	
LOPEZ VERY SHALY CLAY LOAM	1	
OCEANO LOAMY SAND	1	
SANTA LUCIA SHALY CLAY LOAM	1	
SLOPES OF 15 TO 30 PERCENT	1	

194:

San Emigdio	85	No limitations
SIMILAR TO SAN EMIGDIO SOIL	5	
ELDER LOAM	4	

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
194:							
MOCHO CLAY LOAM	3						
TUJUNGA FINE SAND	3						
195:							
San Emigdio	85	No limitations					
SIMILAR TO SAN EMIGDIO SOIL	5						
ELDER LOAM	4						
MOCHO CLAY LOAM	3						
TUJUNGA FINE SAND	3						
196:							
San Ysidro	85	No limitations					
OCEANO LOAMY SAND	5						
RINCON CLAY LOAM	5						
ARBUCKLE FINE SANDY LOAM	2						
CROPLEY CLAY	1						
METZ LOAMY SAND	1						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
196: UNNAMED	1						
197: San Ysidro	75	No limitations					
ARBUCKLE FINE SANDY LOAM	10						
SIMILAR TO SAN YSIDRO SOIL	10						
CROPLEY CLAY	2						
GREENFIELD FINE SANDY LOAM	1						
RINCON CLAY LOAM	1						
UNNAMED	1						
198: Santa Lucia	30	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00					
Lopez	25	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < 0.01 inches/hr 1.00					
GAZOS SHALY CLAY LOAM	15	Not rated					

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

198:

CALODO CLAY LOAM 5

DEEPER SIMILIAR TO SANTA LUCIA 5

LINNE SHALY CLAY LOAM 5

URBAN LAND 5

ZAKME CLAY 5

LOCKWOOD SHALY LOAM 2

ROCK OUTCROP 2

SLOPES OF 9 TO 15 PERCENT 1

199:

Santa Lucia	30	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00
		Ksat < 0.01 inches/hr	1.00

Gazos	20	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00
		Ksat < .6"/hr in 24-80" (slow perc)	1.00

LOPEZ VERY SHALY CLAY LOAM	15	Not rated
----------------------------	----	-----------

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

199:

LINNE SHALY CLAY LOAM 10

SIMILAR TO SANTA LUCIA SOIL 10

ROCK OUTCROP 5

ZAKNE CLAY 5

LOCKWOOD SHALY LOAM 1

200:

Sesame	75	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00
		Ksat from .6 - 2"/hr (slow perc)	0.50

ARBUCKLE FINE SANDY LOAM 10

CIENEBA COARSE SANDY LOAM 5

VISTA COARSE SANDY LOAM 5

AREAS OF DEEP GULLIES 1

HANFORD FINE SANDY LOAM 1

METZ LOAMY SAND 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

200:

POSITAS COARSE SANDY LOAM 1

ROCK OUTCROP 1

201:

Shimmon	75	Limitations	
		Depth to bedrock < 40"	1.00
		Slopes > 15%	1.00
		Ksat < .6"/hr in 24-80" (slow perc)	1.00

SIMILAR TO SHIMMON SOIL 10

CONCEPCION SANDY LOAM 5

DIBBLE CLAY LOAM 5

AREAS OF DEEP GULLIES 1

BALCOM LOAM 1

LINNE SHALY CLAY LOAM 1

LODO GRAVELLY CLAY LOAM 1

ROCK OUTCROP 1

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

202:

Shimmon	80	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00	
SIMILAR TO SHIMMON SOIL	10		
DIBBLE CLAY LOAM	5		
AREAS WITH DEEP GULLIES	1		
BALCOM LOAM	1		
LINNE SHALY CLAY LOAM	1		
LODO GRAVELLY CLAY LOAM	1		
ROCK OUTCROP	1		

203:

Shimmon	40	Limitations Depth to bedrock < 40" 1.00 Slopes > 15% 1.00 Ksat < .6"/hr in 24-80" (slow perc) 1.00	
Dibble	30	Limitations Ksat < .6"/hr in 24-80" (slow perc) 1.00 Depth to bedrock < 40" 1.00 Slopes > 15% 1.00	

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*			
		Rating class and limiting features	Value		

203:					
MILLSHOLM CLAY LOAM	15	Not rated			
ROCK OUTCROP	5				
BALCOM LOAM	1				
GAVIOTA SANDY LOAM	1				
LOS OSOS CLAY LOAM	1				
NACIMIENTO SILTY LOAM	1				
SAN ANDREAS SANDY LOAM	1				
204:					
Shimmon	40	Limitations			
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
Dibble	30	Limitations			
		Ksat < .6"/hr in 24-80" (slow perc)	1.00		
		Depth to bedrock < 40"	1.00		
		Slopes > 15%	1.00		
SAN ANDREAS SANDY LOAM	15	Not rated			
ROCK OUTCROP	5				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

204:							
BALCOM LOAM	1						
GAVIOTA SANDY LOAM	1						
LOS OSOS CLAY LOAM	1						
MILLSHOLM CLAY LOAM	1						
NACIMIENTO SILTY CLAY LOAM	1						
205:							
Sorrento	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
STILL CLAY LOAM	10						
CROPLEY CLAY	2						
RINCON CLAY LOAM	2						
SAN EMIGDIO FINE SANDY LOAM	1						
206:							
Sorrento	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
STILL CLAY LOAM	5						
CROPLEY CLAY	2						

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

206:			
RINCON CLAY LOAM	1		
SAN EMIGDIO FINE SANDY LOAM	1		
TUJUNGA FINE SAND	1		
207:			
Still	85	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00
Clear Lake clay	5		
Metz loamy sand	3		
Riverwash	2		
Slopes of 2 to 9 percent	1		
208:			
Still	75	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00
Mocho clay loam	15	Not rated	
Metz loamy sand	5		
Unnamed	1		

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				
209:							
Still	80	Limitations Ksat < .6"/hr in 24-80" (slow perc)	1.00				
Mocho clay loam	14						
Metz loamy sand	5						
Unnamed	1						
210:							
Vista	75	Limitations Depth to bedrock < 40" Slopes 8 to 15%	1.00 0.63				
GREENFIELD GRAVELLY SANDY LOAM	10						
CIENEBA COARSE SANDY LOAM	5						
POSITAS COARSE SANDLY LOAM	5						
SESAME SANDY LOAM	5						
211:							
Vista	40	Limitations Depth to bedrock < 40" Slopes > 15%	1.00 1.00				
Cieneba	30	Limitations Depth to bedrock < 40" Slopes > 15% Ksat < 0.01 inches/hr	1.00 1.00 1.00				

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

211:							
SESAME SANDY LOAM	15	Not rated					
ANDREGG COARSE SANDY LOAM	5						
HANFORD GRAVELLY SANDY LOAM	2						
POSITAS COARSE SANDY LOAM	2						
METZ LOAMY SAND	1						
212:							
Xerofluvents	50	Limitations					
		Flooding		1.00			
RIVERWASH	30	Limitations					
		Flooding		1.00			
		Saturation < 4' depth		1.00			
		Ksat > 6"/hr (seepage and poor filter)		1.00			
ELDER LOAM	7						
METZ LOAMY SAND	7						
TUJUNGA FINE SAND	6						
213:							
Zakme	85	Limitations					
		Ksat < .6"/hr in 24-80" (slow perc)		1.00			
		Slopes > 15%		1.00			
		Depth to bedrock 40 - 72"		0.89			

Septic Tanks

San Luis Obispo County, California, Paso Robles Area

Map symbol and soil name	Pct. of map unit	ENG - Septic Tanks (CA)*					
		Rating class and limiting features	Value				

213:		
AYAR SILTY CLAY	5	
LINNE SHALY CLAY LOAM	5	
SIMILAR TO ZAKME CLAY	5	
214:		
Water	100	Not rated